



Microsoft

Exam Questions AZ-303

Microsoft Azure Architect Technologies (beta)

NEW QUESTION 1

- (Exam Topic 1)

You need to move the blueprint files to Azure. What should you do?

- A. Generate a shared access signature (SAS). Map a drive, and then copy the files by using File Explorer.
- B. Use the Azure Import/Export service.
- C. Generate an access key.
- D. Map a drive, and then copy the files by using File Explorer.
- E. Use Azure Storage Explorer to copy the files.

Answer: D

Explanation:

Azure Storage Explorer is a free tool from Microsoft that allows you to work with Azure Storage data on Windows, macOS, and Linux. You can use it to upload and download data from Azure blob storage.

Scenario:

Planned Changes include: move the existing product blueprint files to Azure Blob storage. Technical Requirements include: Copy the blueprint files to Azure over the Internet. References:

<https://docs.microsoft.com/en-us/azure/machine-learning/team-data-science-process/move-data-to-azure-blob-us>

NEW QUESTION 2

- (Exam Topic 1)

You need to meet the user requirement for Admin1. What should you do?

- A. From the Subscriptions blade, select the subscription, and then modify the Properties.
- B. From the Subscriptions blade, select the subscription, and then modify the Access control (IAM) settings.
- C. From the Azure Active Directory blade, modify the Properties.
- D. From the Azure Active Directory blade, modify the Groups.

Answer: A

Explanation:

Change the Service administrator for an Azure subscription

- > Sign in to Account Center as the Account administrator.
- > Select a subscription.
- > On the right side, select Edit subscription details.

Scenario: Designate a new user named Admin1 as the service administrator of the Azure subscription. References:

<https://docs.microsoft.com/en-us/azure/billing/billing-add-change-azure-subscription-administrator>

NEW QUESTION 3

- (Exam Topic 2)

You have an Azure Resource Manager template for a virtual machine named Template1. Template1 has the following parameters section.

```
"parameters": {
  "adminUsername": {
    "type": "string"
  },
  "adminPassword": {
    "type": "securestring"
  },
  "dnsLabelPrefix": {
    "type": "string"
  },
  "windowsOSVersion": {
    "type": "string",
    "defaultValue": "2016-Datacenter",
    "allowedValues": [
      "2016-Datacenter",
      "2019-Datacenter"
    ]
  },
  "location": {
    "type": "String",
    "allowedValues": [
      "eastus",
      "centralus",
      "westus" ]
  }
},
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When you deploy Template1, you are prompted for a resource group.	<input type="radio"/>	<input type="radio"/>
When you deploy Template1, you are prompted for the Windows operating system version.	<input type="radio"/>	<input type="radio"/>
When you deploy Template1, you are prompted for a location.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes
 The Resource group is not specified.
 Box 2: No
 The default value for the operating system is Windows 2016 Datacenter.
 Box 3: Yes
 Location is no default value. References:
<https://docs.microsoft.com/bs-latn-ba/azure/virtual-machines/windows/ps-template>

NEW QUESTION 4


- (Exam Topic 2)
 You have an Azure key vault named KV1.
 You need to ensure that applications can use KV1 to provision certificates automatically from an external certification authority (CA).
 Which two actions should you perform? Each correct answer presents part of the solution.
 NOTE: Each correct selection is worth one point.

- A. From KV1, create a certificate issuer resource.
- B. Obtain the CA account credentials.
- C. Obtain the root CA certificate.
- D. From KV1, create a certificate signing request (CSR).
- E. From KV1, create a private key,

Answer: CD

Explanation:

C: Obtain the root CA certificate (step 4 in the picture below)
 D: From KV1, create a certificate signing request (CSR) (step 2 in the picture below) Note:
 Creating a certificate with a CA not partnered with Key Vault
 This method allows working with other CAs than Key Vault's partnered providers, meaning your organization can work with a CA of its choice.



The following step descriptions correspond to the green lettered steps in the preceding diagram.

- In the diagram above, your application is creating a certificate, which internally begins by creating a key in your key vault.

- Key Vault returns to your application a Certificate Signing Request (CSR).
- Your application passes the CSR to your chosen CA.
- Your chosen CA responds with an X509 Certificate.
- Your application completes the new certificate creation with a merger of the X509 Certificate from your CA.

Reference:

<https://docs.microsoft.com/en-us/azure/key-vault/certificates/certificate-scenarios>

NEW QUESTION 5

- (Exam Topic 2)

You have an Azure subscription that contains the resource groups shown in the following table.

Name	Location
RG1	West US
RG2	East US

You create an Azure Resource Manager template named Template1 as shown in the following exhibit.

```
{
  "$schema": "http://schema.management.azure.com/schemas/2015-01-01/deploymentTemplate.json#",
  "contentVersion": "1.0.0.0",
  "parameters": {
    "name": {
      "type": "String"
    },
    "location": {
      "defaultValue": "westus",
      "type": "String"
    }
  },
  "variables": {
    "location": "[resourceGroup().location]"
  },
  "resources": [
    {
      "type": "Microsoft.Network/publicIPAddresses",
      "apiVersion": "2019-11-01",
      "name": "[parameters('name')]",
      "location": "[variables('location')]",
      "sku": {
        "name": "Basic"
      },
      "properties": {
        "publicIPAddressVersion": "IPv4",
        "publicIPAllocationMethod": "Dynamic",
        "idleTimeoutInMinutes": 4,
        "ipTags": []
      }
    }
  ]
}
```

From the Azure portal, you deploy Template1 four times by using the settings shown in the following table.

Resource group	Name	Location
RG1	IP1	westus
RG1	IP2	westus
RG2	IP1	westus
RG2	IP3	westus

What is the result of the deployment? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Number of public IP addresses in West US:

	▼
1	
2	
3	
4	

Total number of public IP addresses created:

	▼
1	
2	
3	
4	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Number of public IP addresses in West US:

	▼
1	
2	
3	
4	

Total number of public IP addresses created:

	▼
1	
2	
3	
4	

NEW QUESTION 6

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other Identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles. You need to ensure that the Admin1 can create access reviews in contoso.com.

Solution: You purchase an Azure Directory Premium P2 license for contoso.com. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:


➤ Conduct access reviews to ensure users still need roles References:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

NEW QUESTION 7

- (Exam Topic 2)

You have several Azure virtual machines on a virtual network named VNet1. You configure an Azure Storage account as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

The virtual machines on the 10.2.9.0/24 subnet will have network connectivity to the file shares in the storage account [answer choice].

always

during a backup

never

Azure Backup will be able to back up the unmanaged hard disks of the virtual machines in the storage account [answer choice].

always

during a backup

never


- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- Box 1: Never
- Box 2: Never

After you configure firewall and virtual network settings for your storage account, select Allow trusted Microsoft services to access this storage account as an exception to enable Azure Backup service to access the network restricted storage account.



<https://docs.microsoft.com/en-us/azure/storage/files/storage-how-to-use-files-windows> <https://azure.microsoft.com/en-us/blog/azure-backup-now-supports-storage-accounts-secured-with-azure-storage>

NEW QUESTION 8

- (Exam Topic 2)

You have an Azure subscription that contains the resource groups shown in the following table.

Name	Location
RG1	West US
RG2	East US

RG1 contains the virtual machines shown in the following table.

Name	Region
VM1	West US
VM2	West US
VM3	West US
VM4	West US

RG2 contains the virtual machines shown in the following table.

Name	Region
VM5	East US 2
VM6	East US 2
VM7	West US
VM8	West US 2

All the virtual machines are configured to use premium disks and are accessible from the Internet.
 VM1 and VM2 are in an available set named AVSET1. VM3 and VM4 are in the same availability zone and are in an availability set named AVSET2. VM5 and VM6 are in different availability zones.
 For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
VM1 is eligible for a Service Level Agreement (SLA) of 99,95 percent.	<input type="radio"/>	<input type="radio"/>
VM3 is eligible for a Service Level Agreement (SLA) of 99,99 percent.	<input type="radio"/>	<input type="radio"/>
VM5 is eligible for a Service Level Agreement (SLA) of 99,99 percent.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

VM1 and VM2 are in an available set named AVSET1.

For all Virtual Machines that have two or more instances deployed in the same Availability Set, we [Microsoft] guarantee you will have Virtual Machine Connectivity to at least one instance at least 99.95% of the time.

Box 2: No

VM3 and VM4 are in the same availability zone and are in an availability set named AVSET2. Box 3: Yes

VM5 and VM6 are in different availability zones.

For all Virtual Machines that have two or more instances deployed across two or more Availability Zones in the same Azure region, we [Microsoft] guarantee you will have Virtual Machine Connectivity to at least one instance at least 99.99% of the time.

References:

https://azure.microsoft.com/en-us/support/legal/sla/virtual-machines/v1_8/

NEW QUESTION 9

- (Exam Topic 2)

Your network contains an on-premises Active Directory domain named contoso.com that contains a member server named Server1.

You have the accounts shown in the following table.

Name	Member of
CONTOSO\User1	Domain Admins
CONTOSO\User2	Domain Users
CONTOSO\User3	Enterprise Admin
SERVER1\User4	Users

You are installing Azure AD Connect on Server1.

You need to specify the account for Azure AD Connect synchronization.

The solution must use the principle of least privilege.

Which account should you specify?

- A. CONTOSO\User2
B. SERVER1\User4
C. CONTOSO\User1
D. CONTOSO\User3

Answer: A

Explanation:

The default Domain User permissions are sufficient Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/reference-connect-accounts-permissions>

NEW QUESTION 10

- (Exam Topic 2)

You are implementing authentication for applications in your company. You plan to implement self-service password reset (SSPR) and multifactor authentication (MFA) in Azure Active Directory (Azure AD).

You need to select authentication mechanisms that can be used for both MFA and SSPR.

Which two authentication methods should you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Short Message Service (SMS) messages
B. Authentication app
C. Email addresses
D. Security questions
E. App passwords

Answer: AB

Explanation:

References:

NEW QUESTION 10

What should you do?

- From Azure AD, configure the User settings.
- From the Azure subscription, assign an Azure policy.
- From Azure AD, create a conditional access policy.
- From the Azure subscription, configure Access control (IAM).

NEW QUESTION 14

NOTE: Each correct selection is worth one point.

'Microsoft.Network/publicIPAddresses/'
'Microsoft.Network/virtualNetworks/'
'Microsoft.Network/networkInterfaces/'
'Microsoft.Network/virtualNetworks/subnets'
'Microsoft.Storage/storageAccounts/'

'Microsoft.Network/publicIPAddresses/'
'Microsoft.Network/virtualNetworks/'
'Microsoft.Network/networkInterfaces/'
'Microsoft.Network/virtualNetworks/subnets'
'Microsoft.Storage/storageAccounts/'

- Answer: A**

Microsoft.Network/publicIPAddresses Microsoft.Network/virtualNetworks

```
"resources": [
  {
  },
  {
  },
  {
  },
  {
  },
  {
    "type": "Microsoft.Network/networkInterfaces",
    "name": "[variables('nicName')]",
    "location": "[parameters('location')]",
    "apiVersion": "2018-08-01",
    "dependsOn": [
      "[resourceId('Microsoft.Network/publicIPAddresses/', variables('publicIPAddressName'))]",
      "[resourceId('Microsoft.Network/virtualNetworks/', variables('virtualNetworkName'))]"
    ],
    "properties": {
      "ipConfigurations": [
        {
          "name": "ipconfig1",
          "properties": {
            "privateIPAllocationMethod": "Dynamic",
            "publicIPAddress": {
              "id": "[resourceId('Microsoft.Network/publicIPAddresses', variables('publicIPAddressName'))]"
            },
            "subnet": {
              "id": "[variables('subnetRef')]"
            }
          }
        }
      ]
    }
  }
],
}
```

References:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-manager-tutorial-create-templates-with>

NEW QUESTION 18

- (Exam Topic 2)

You have three Azure SQL Database servers shown in the following table.

Name	Resource group	Location
sqlserver1	RG1	West US
sqlserver2	RG1	West US
sqlserver3	RG2	West US
sqlserver4	RG1	West Europe
sqlserver5	RG2	West Europe

You plan to specify sqlserver1 as the primary server in a failover group. Which servers can be used as a secondary server?

- A. sqlserver4 and sqlserver5 only
- B. sqlserver2 and sqlserver3 only
- C. sqlserver1 and sqlserver3 only
- D. sqlserver2 and sqlserver4 only

Answer: D

Explanation:

The Resource Group must be the same.

The secondary server can have another location.

The secondary server cannot be the same as the primary server. Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/auto-failover-group-configure>

NEW QUESTION 20

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company is deploying an on-premises application named App1. Users will access App1 by using a URL of <https://app1.contoso.com>. You register App1 in Azure Active Directory (Azure AD) and publish App1 by using the Azure AD Application Proxy. You need to ensure that App1 appears in the My Apps portal for all the users.

Solution: You create an offer for App1 and publish the offer to Azure Marketplace.

- A. Yes
- B. No

Answer: A

NEW QUESTION 22

- (Exam Topic 2)
You have an Azure subscription.
You plan to deploy an app that has a web front end and an application tier.
You need to recommend a load balancing solution that meets the following requirements:

- Internet to web tier:
 - Provides URL-based routing
 - Supports connection draining
 - Prevents SQL injection attacks
- Web tier to application tier:
 - Provides port forwarding
 - Supports HTTPS health probes
 - Supports an availability set as a backend pool

Which load balancing solution should you recommend for each tier? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Internet to web tier:

	▼
An Azure Application Gateway that has a web application firewall (WAF)	
An internal Azure Standard Load Balancer	
A public Azure Basic Load Balancer	

Web tier to application tier:

	▼
An Azure Application Gateway that has a web application firewall (WAF)	
An internal Azure Standard Load Balancer	
A public Azure Basic Load Balancer	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: An Azure Application Gateway that has a web application firewall (WAF)
Azure Application Gateway offers a web application firewall (WAF) that provides centralized protection of your web applications from common exploits and vulnerabilities. Web applications are increasingly targeted by malicious attacks that exploit commonly known vulnerabilities. SQL injection and cross-site scripting are among the most common attacks.
Application Gateway operates as an application delivery controller (ADC). It offers Secure Sockets Layer (SSL) termination, cookie-based session affinity, round-robin load distribution, content-based routing, ability to host multiple websites, and security enhancements.
Box 2: An internal Azure Standard Load Balancer
The internet to web tier is the public interface, while the web tier to application tier should be internal. Note: When using load-balancing rules with Azure Load Balancer, you need to specify a health probes to allow Load Balancer to detect the backend endpoint status.
Health probes support the TCP, HTTP, HTTPS protocols. References:
<https://docs.microsoft.com/en-us/azure/application-gateway/waf-overview> <https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-custom-probe-overview>

NEW QUESTION 24

- (Exam Topic 2)
A company runs multiple Windows virtual machines (VMs) in Azure.
The IT operations department wants to apply the same policies as they have for on-premises VMs to the VMs running in Azure, including domain administrator permissions and schema extensions.
You need to recommend a solution for the hybrid scenario that minimizes the amount of maintenance required. What should you recommend? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Component	Action
Domain	<div><div>Join the VMs to the existing on-premises domain.</div><div>Join the VMs to a new domain controller VM in Azure.</div><div>Join the VMs to Azure Active Directory Domain Services (AD DS).</div></div>
Connectivity	<div><div>Set up VPN connectivity.</div><div>Set up HTTPS connectivity.</div><div>Set up Azure Relay Service.</div></div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Join the VMs to a new domain controller VM in Azure

Azure provides two solutions for implementing directory and identity services in Azure:

➤ (Used in this scenario) Extend your existing on-premises Active Directory infrastructure to Azure, by deploying a VM in Azure that runs AD DS as a Domain Controller. This architecture is more common when the on-premises network and the Azure virtual network (VNet) are connected by a VPN or ExpressRoute connection.

➤ Use Azure AD to create an Active Directory domain in the cloud and connect it to your on-premises Active Directory domain. Azure AD Connect integrates your on-premises directories with Azure AD.

Box 2: Set up VPN connectivity.

This architecture is more common when the on-premises network and the Azure virtual network (VNet) are connected by a VPN or ExpressRoute connection.

References:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/identity/>

NEW QUESTION 28

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company is deploying an on-premises application named Appl. Users will access App1 by using a URL of <https://app1.contoso.com>. You register App1 in Azure Active Directory (Azure AD) and publish Appl by using the Azure AD Application Proxy. You need to ensure that Appl appears in the My Apps portal for all the users.

Solution: You create a conditional access policy for App1.

- A. Yes
B. No

Answer: B

NEW QUESTION 29

- (Exam Topic 2)

You plan to create an Azure Storage account in the Azure region of East US 2. You need to create a storage account that meets the following requirements:

- Replicates synchronously
➤ Remains available if a single data center in the region fails

How should you configure the storage account? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Replication:

	▼
Geo-redundant storage (GRS)	
Locally-redundant storage (LRS)	
Read-access geo-redundant storage (RA GRS)	
Zone-redundant storage (ZRS)	

Account kind:

	▼
Blob storage	
Storage (general purpose v1)	
StorageV2 (general purpose v2)	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Zone-redundant storage (ZRS)

Zone-redundant storage (ZRS) replicates your data synchronously across three storage clusters in a single region.

LRS would not remain available if a data center in the region fails GRS and RA GRS use asynchronous replication.

Box 2: StorageV2 (general purpose V2) ZRS only support GPv2.

References:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy> <https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy-zrs>

NEW QUESTION 33

- (Exam Topic 2)

You have an Azure Resource Manager template named Template1 in the library as shown in the following exhibit.

ARM Template

template1

```

1  {
2      "$schema": "https://schema.management.azure.com/
schemas/2015-01-01/deploymentTemplate.json#",
3      "contentVersion": "1.0.0.0",
4      "parameters": {},
5      "resources": [
6          {
7              "apiVersion": "2016-01-01",
8              "type": "Microsoft.Storage/storageAccounts",
9              "name": "[concat(copyIndex(), 'storage',
uniqueString(resourceGroup().id))]",
10             "location": "[resourceGroup().location]",
11             "sku": {
12                 "name": "Premium_LRS"
13             },
14             "kind": "Storage",
15             "properties": {},
16             "copy": {
17                 "name": "storagecopy",
18                 "count": 3,
19                 "mode": "Serial",
20                 "batchSize": 1
21             }
22         }
23     ]
24 }
25
26

```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

During the deployment of Template1,
 you can specify **[answer choice]**.

	▼
the number of resources to deploy	
the name of the resources to deploy	
the resource group to which to deploy the resources	
the permissions for the resources that will be deployed	

Template1 deploys **[answer choice]**.

	▼
a single storage account in one resource group	
three storage accounts in one resource group	
three resource groups that each has one storage account	
three resource groups that each has three storage accounts	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/templates/template-syntax>

NEW QUESTION 34

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host. You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image. Solution: You add the following line to the Dockerfile.

Copy-Item File1.txt C:\Folder1\File1.txt You then build the container image. Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Copy-Item is not supported. Copy is the correct command to copy a file to the container image. References:

https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy <https://docs.docker.com/engine/reference/builder/>

NEW QUESTION 35

- (Exam Topic 2)

You have Azure virtual machines deployed to three Azure regions. Each region contains a single virtual network that has four virtual machines on the same subnet. Each virtual machine runs an application named App1. App1 is accessible by using HTTPS. Currently, the virtual machines are inaccessible from the internet.

You need to use Azure Front Door to load balance requests for App1 across all the virtual machines. Which additional Azure service should you provision?

A. a public Azure Load Balancer

B. Azure Traffic Manager

C. an internal Azure Load Balancer

D. Azure Private Link

Answer: A

NEW QUESTION 38

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AZ-303 Practice Exam Features:

- * AZ-303 Questions and Answers Updated Frequently
- * AZ-303 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-303 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-303 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-303 Practice Test Here](#)