



HP

Exam Questions HPE0-V14

Building HPE Hybrid IT Solutions

NEW QUESTION 1

- (Exam Topic 1)

Match the speed and protocol with the appropriate component.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 2

- (Exam Topic 1)

Refer to the exhibit.

The information shown is displayed for a Nimble array you are installing. The customer's administrator has asked you for the speed at which the Nimble ports are connecting to their SAN switches, and you have run the command shown to determine the number of gigabits per second used by this port connection. What speed does the exhibit indicate is in use?

- A. 18
- B. 32
- C. 6
- D. 8

Answer: C

NEW QUESTION 3

- (Exam Topic 1)

Drag the correct protocols from the left to their appropriate area on the topology.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 4

- (Exam Topic 1)

An HPE customer wants to perform a simplified update of firmware and drivers among their 100 HPE Gen9 and Gen10 racked servers. Which HPE software tool should the customer use to minimize the time required to perform this activity.

- A. HPE Smart Update Manager
- B. HPE OneView Standard
- C. HPE ProLiant Support Pack
- D. HPE iLO Amplifier Pack

Answer: A

NEW QUESTION 5

- (Exam Topic 1)

What should you configure to limit the scope of broadcast domains in an Ethernet network?

- A. Trunks
- B. VSAN
- C. Static ARP
- D. VLAN

Answer: D

NEW QUESTION 6

- (Exam Topic 1)

A customer needs a single, dual-processor server for an Enterprise Resource Planning solution for a single office. The customer application uses a mix of HDDs and SSDs and up to 3TB of RAM.

Which HPE Solution should you propose?

- A. HPE Synergy Solution
- B. HPE Apollo 2000 Server
- C. HPE ML350 Gen10
- D. HPE ML110 Gen10

Answer: B

NEW QUESTION 7

- (Exam Topic 1)

What is a primary benefit of DAS?

- A. It takes advantage of Common Internet File System (CIFS).
- B. It is presented as an iSCSI LUN to the attached server.
- C. It can be accessed by both server and non-server devices simultaneously.
- D. It is connected directly to a server.

Answer: C

NEW QUESTION 8

- (Exam Topic 1)

HPE Support asks you to generate an SSD wear gauge report for local storage on an HPE DL360 Gen10 server running VMware. Which procedure will ensure that the server will boot directly into a maintenance state so you can generate the requested report?

- A. Changing the one-time boot option to Smart Storage Administrator in iLO web-based user interface
- B. Use Always On functionality of Intelligent Provisioning
- C. Changing the one-time boot option to Intelligent Provisioning in iLO web-based user interface
- D. Click Boot to System Setup Utilities in iLO web-based user interface
- E. Changing the one-time boot option to Intelligent Provisioning in HPE OneView

Answer: A

NEW QUESTION 9

- (Exam Topic 1)

Indicate whether each management feature manages or monitors a single system or multiple systems.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 10

- (Exam Topic 1)

A customer has two HPE ProLiant Gen10 servers. They both require firmware installation. Which HPE tool should you recommend for performing this task?

- A. OneView Advanced
- B. iLO Amplifier Pack
- C. Smart Update Manager
- D. OneView Standard

Answer: C

NEW QUESTION 10

- (Exam Topic 1)

Which hardware and software components make up a Nimble dHCI infrastructure?

- A. HPE M-Series switch, HPE ProLiant DL servers, HPE Nimble, and VMware
- B. Aruba Switches, HPE Synergy, HPE Nimble, and VMware
- C. HPE M-Series switch, HPE ProLiant DL servers, HPE Nimble, and Hyper-V
- D. Aruba Switches, HPE Synergy, HPE Nimble, and Hyper-V

Answer: A

NEW QUESTION 11

- (Exam Topic 1)

A customer wants to install an HPE ProLiant server that has a single dual port 10Gb NIC.

Which NIC feature should you introduce to allow each 10Gb port to be seen as four individual adapters in the operating system?

- A. NPAR
- B. RoCE
- C. FCoE
- D. RDMA

Answer: A

NEW QUESTION 13

- (Exam Topic 1)

Which protocol can be used to access a shared directory on a network-attached storage device?

- A. SNMP
- B. SMB
- C. FCP

Answer: B

NEW QUESTION 15

- (Exam Topic 1)

Match each characteristic to the appropriate RAID level.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 18

- (Exam Topic 1)

An administrator is using 4k block sizes on an iSCSI array. The administrator wants to optimize that packet size to decrease the header overhead in the IP traffic flow.

What feature should be enabled on the entire Layer 2 domain?

- A. Jumbo Frames
- B. Data Center Bridging
- C. RDMA over converged Ethernet
- D. Intelligent Resilient Framework (IRF)

Answer: A

NEW QUESTION 20

- (Exam Topic 1)

Which HPE solution brings together CPU, Memory, and Disk with an unpredictable workload into a single management infrastructure?

- A. dHCI
- B. SimpliVity
- C. Nimble
- D. Primera

Answer: B

NEW QUESTION 24

- (Exam Topic 1)

A security client needs a surveillance solution to support 239 Cameras. They expect to generate 2PB of data and require a 10Gb network infrastructure in a single rack.

Which solution should you recommend to meet the customer requirements?

- A. HPE Moonshot
- B. HPE MSA
- C. HPE Apollo Servers
- D. HPE SimpliVity 380

Answer: C

NEW QUESTION 25

- (Exam Topic 1)

A solution integrator is installing new equipment to the rack.

Click the recommended location for HPE R/T3000 Extended Runtime Module.

Hot Area:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 27

- (Exam Topic 1)

A customer needs a virtual desktop infrastructure environment to quickly deploy new desktop images to more than 70 onsite contractors. They plan to use HPE ProLiant DL360 Gen10 servers running VMware ESXi connected to a shared storage device. The customer requires deduplication because they are concerned about the required storage capacity for the full clone images.

Which storage device would best address their concerns?

- A. HPE MSA 1040
- B. HPE MSA 2052
- C. HPE Nimble AF20
- D. HPE Nimble HF20C

Answer: D

NEW QUESTION 30

- (Exam Topic 1)

A customer has the following requirements: two or more 10Gb SFP+ uplinks
downlink ports capable of 1Gb or 10Gb operation over CAT6a or CAT7 cables

24 downlink ports Which HPE tool would you use to help choose an HPE network solution that meets the customer requirements?

- A. HPE Switch Selector
- B. HPE NinjaSTARS
- C. HPE SAF
- D. HPE SPOCK

Answer: D

NEW QUESTION 34

- (Exam Topic 1)

You are validating a configuration prior to quoting it for the customer. You plan to propose the following configuration:

Two HPE DL380 Gen10 servers with dual processors, 256GB of memory, dual 10Gb NICs, SN1100Q 16Gb dual port FC HBA, dual 800W power supplies, and high temperature fan kit

HPE Nimble HF20H with 11TB storage, 960GB of cache, dual port 10GbE NIC, and 16Gb dual port FC adapter kit

Two SN3000B FC Switches

Which tool should you use to verify firmware compatibility between the storage and server components in this proposed solution?

- A. HPE NinjaSTARS
- B. HPE One Configuration Advanced
- C. HPE OneView Advanced
- D. HPE SPOCK

Answer: D

NEW QUESTION 35

- (Exam Topic 1)

A client complains about systems reliability issues caused by their staff's inability to identify the root cause of failures. The client's lead administrator wants to automatically send data from HPE OneView to additional listeners in the network.

What should you configure in HPE OneView to enable the external monitoring of the managed devices?

- A. Configure a scope to include the listener.
- B. Configure SNMP Trap Forwarding.
- C. Configure scheduled reports to export the data to the listener.
- D. Configure the listener as a managed device.

Answer: B

NEW QUESTION 36

- (Exam Topic 1)

You need to review a warning on a Nimble storage array. Click on the menu option that displays this information.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 38

- (Exam Topic 1)

Refer to the exhibit.

A customer has two HPE ProLiant DL380 Gen10 servers running as an Oracle cluster. They are trying to reduce licensing costs and want to move to the best processor available from the list to minimize licensing costs while still providing a high level of performance for the Oracle database.

Which DL380 Gen10 processor would you recommend?

- A. Intel Xeon-Platinum 8280M
- B. Intel Xeon-Platinum 8280
- C. Intel Xeon-Platinum 8256
- D. Intel Xeon-Platinum 8253

Answer: D

NEW QUESTION 40

- (Exam Topic 1)

Refer to the exhibit.

You are designing a new Nimble AF40 for your customer. The array will be added into an existing Nimble HF60 environment connected with SN6000B switches. You have created the configuration shown in the exhibit and noticed an error

What should you change in your configuration to ensure it meets the customer requirements?

- A. Change the controller to an AF20.
- B. Change the 10GbE Optical ports to Fibre Channel.
- C. Change the 10GbE Optical ports to 10BaseT.
- D. Change the controller to an HF20H.

Answer: D

NEW QUESTION 41

- (Exam Topic 1)

Refer to the exhibit.

An administrator connected a hypervisor to interface Ten-GigabitEthernet1/0/1 in a switch. The administrator created virtual machines in VLAN 10 and 20 on the hypervisor. VLAN 10 is configured to be tagged, and VLAN 20 is configured to be untagged on the hypervisor.

The administrator found that all the virtual machines in VLAN 20 can communicate with each other, but not with any virtual machines on VLAN 20 external to the hypervisor.

Given the output in the exhibit, what should you do to resolve the issue?

- A. Permit VLAN 1 on the interface.
- B. Configure the PVID of the interface to be VLAN 20.
- C. Configure the interface as an access port.

D. Configure the interface as an IRF port.

Answer: D

NEW QUESTION 46

- (Exam Topic 1)

A customer needs a new VMware environment for a critical stock trading application and will need high performance compute and low latency storage. Identify the correct component configurations on the left and drag them to the answer area on the right. (Choose two.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 48

- (Exam Topic 1)

What is an access port on an Ethernet switch?

- A. A port that carries FCP frames inside the network
- B. A port that carries multiple VLANs
- C. A port that is connected to an FCF
- D. A port that carries untagged frames inside the network

Answer: D

NEW QUESTION 49

- (Exam Topic 1)

A customer has requested that you provide them with an architecture and bill-of-materials for a stack of top-of-rack switches. The customer has 34 HPE DL360 servers in the rack, each with four 1GBASE-T Ethernet ports which need to be connected to the network. The customer is upgrading 50% of the 1GBASE-T Ethernet ports on the servers to 10GBASE-T Ethernet ports and needs the switching to support the upgraded servers. They are opposed to a chassis switch, and want to keep their number of managed devices on the network to a minimum. Which architecture meets the customer requirements?

- A. One VSX stack of four Aruba 8320 48-port 1/10GBASE-T switches
- B. Two IRF stacks of two HPE 5710 48-port 1/10GBASE-T switches
- C. One IRF stack of four HPE 5710 48-port 1/10GBASE-T switches
- D. Two VSX stacks of two Aruba 8320 48-port 1/10GBASE-T switches

Answer: A

NEW QUESTION 51

- (Exam Topic 1)

A customer is planning to deploy a branch office server rack. The environment will have the following requirements: Single rack with 20 HPE ProLiant DL360 Gen10 Servers. Each Server will have 6 x 10G SFP+ Ports. Each Server will have a dedicated iLO port. The customer requires that only two switches be used. The customer requires separate control planes. Which switch configuration can meet these requirements?

- A. 2 x HPE 5945 Series switch with IRF
- B. 2 x Aruba 8325 Series switches with VSX
- C. 2 x HPE 5945 Series switches standalone
- D. 2 x Aruba 8325 Series switches with backplane stacking

Answer: A

NEW QUESTION 53

- (Exam Topic 1)

Match each customer data center architecture to its network topology.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 57

- (Exam Topic 2)

You need to install 10 HPE ProLiant servers in an environment without DHCP. Which tool can you use to set up remote management?

- A. Intelligent Provisioning
- B. UEFI System Utilities
- C. Intelligent Management Center
- D. iLO 5 Configuration Utility

Answer: C

NEW QUESTION 58

- (Exam Topic 2)

A customer needs a video archive repository initially starting at 30TB internal storage. The repository is expected to grow at 20% annually and should have a lifespan of 3 years.

Which HPE ProLiant server solution meets the customer's requirements?

- A. HPE ProLiant DL560 Gen10 with LFF SAS drives
- B. HPE ProLiant DL380 Gen10 with LFF SAS drives
- C. HPE ProLiant ML110 with SFF SAS drives
- D. HPE ProLiant DL560 Gen9 with SFF SAS drives

Answer: B

NEW QUESTION 63

- (Exam Topic 2)

You are creating an internal array on an HPE ProLiant server. What can you do to maximize the storage space efficiency?

- A. Populate drive bays with the smallest-capacity drive first.
- B. Install drives that have the same capacity.
- C. Match the device numbers for the drives with their bay numbers.
- D. Populate drive bays with the largest-capacity drive first.

Answer: B

NEW QUESTION 67

- (Exam Topic 2)

You are configuring a FlexFabric switch for a customer environment. The customer has requested specific SFP+ transceivers, power options, and cables. Which HPE tool enables you to select and configure a switch according to precise specifications?

- A. Single Point of Connectivity Knowledge (SPOCK)
- B. Networking Online Configurator

- C. One Config Simple (OCS)
- D. Switch Selector

Answer: C

NEW QUESTION 69

- (Exam Topic 2)

In which layer of the OSI model would you find an IP address?

- A. Application
- B. Network
- C. Physical
- D. Data link

Answer: B

NEW QUESTION 74

- (Exam Topic 2)

A customer requires an entry-level, all-flash storage system with predictable performance at the lowest possible price. They have performance-sensitive workloads that require speed and efficiency.

Which HPE storage system meets the customer's requirements?

- A. 3PAR 8450
- B. MSA 2052
- C. StoreVirtual 4335
- D. Nimble AF 1000

Answer: A

NEW QUESTION 78

- (Exam Topic 2)

A customer needs to enable HPE Proactive Care and automated case creation for server hardware failures in their OneView environment.

Which step do you need to complete in OneView to accomplish these tasks?

- A. Enable remote support from the Settings page.
- B. Apply the OneView Advanced monitoring license.
- C. Add the hosts to the managed devices group.
- D. Configure proactive scan reports.

Answer: A

NEW QUESTION 83

- (Exam Topic 2)

A customer is considering an HPE ProLiant DL380 Gen10 server for their data center. The customer runs a large Oracle database. They need to increase performance and reduce their licensing costs.

Which feature of HPE Gen10 servers offers these benefits?

- A. workload profile matching
- B. agentless management
- C. jitter smoothing
- D. core boosting

Answer: D

NEW QUESTION 86

- (Exam Topic 2)

A customer requires a high level of network bandwidth and reliability. You are installing a pair of HPE switches that can provide redundancy with multiple connections between them for high availability and faster throughput.

Which technology should you configure on the switches to enable the capability the customer requires?

- A. Rapid Spanning Tree Protocol (RSTP)
- B. Virtual Extensible Local Area Network (VxLAN)
- C. Multichassis Link Aggregation (MLAG)
- D. Multiple Spanning Tree Protocol (MSTP)

Answer: C

NEW QUESTION 87

- (Exam Topic 2)

You are installing a data center switch.

Which methods are recommended to configure the switch? (Choose two.)

- A. Use out-of-band management with a dedicated management connection
- B. Use in-band management with an IP address and subnet mask that is reachable on the management network
- C. Use out-of-band management and keep the default settings
- D. Use in-band management and configure the AUX0 interface for scheme authentication

Answer: AB

NEW QUESTION 92

- (Exam Topic 2)

A customer requires a storage platform for their department data. They have a limited budget and will be sharing files among their Microsoft Windows environment. Which HPE storage platform meets the customer's needs?

- A. Nimble
- B. StoreOnce
- C. 3PAR StoreServ
- D. StoreEasy

Answer: D

NEW QUESTION 97

- (Exam Topic 2)

A customer needs to reconfigure their data center network because their network often becomes congested, and the customer cannot monitor the network. How should the customer configure their network?

- A. Isolate the management network from production traffic
- B. Isolate the SAN on a public network and use a virtual private network (VPN) for secure data
- C. Configure IRF on the switches
- D. Configure in-band management to manage the switches through gigabit Ethernet ports

Answer: A

NEW QUESTION 100

- (Exam Topic 2)

A customer needs to share files cost-effectively among their Microsoft Windows server over a local network. Which storage solution meets this requirement?

- A. Storage Area Network (SAN)
- B. Network File System (NFS)
- C. Direct Attached Storage (DAS)
- D. Network Attached Storage (NAS)

Answer: D

NEW QUESTION 101

- (Exam Topic 2)

You have completed a non-disruptive activation of firmware on an SN6000 switch. Which session must be restarted manually?

- A. Enterprise Fabric Management Suite session
- B. telnet session
- C. SAN connection Manager session
- D. QuickTools session

Answer: B

NEW QUESTION 105

- (Exam Topic 2)

When installing servers in a rack, a customer has left gaps between the servers. What should you tell this customer regarding the space between servers? (Select two.)

- A. It should be filled with blanking panels.
- B. It does not provide correct rack airflow.
- C. It provides easy access for servicing components.
- D. It allows for easier cable management.
- E. It allows for side-to-side component cooling.

Answer: AB

NEW QUESTION 107

- (Exam Topic 2)

You are installing an HPE ProLiant server that has a shared network port for iLO and NIC teaming. You need to ensure that you can still access iLO after configuring the NIC team. Which teaming technology should you configure?

- A. round robin
- B. switch-assisted load balancing
- C. receive load balancing
- D. network fault tolerance

Answer: D

NEW QUESTION 110

- (Exam Topic 2)

You are troubleshooting a POST error on a HPE ProLiant rack-mount server. HPE support has directed you to test a minimum hardware configuration. Which components should you remove? (Choose two.)

- A. CMOS battery
- B. all cooling fans
- C. all expansion boards
- D. all external storage media
- E. redundant processors

Answer: DE

NEW QUESTION 112

- (Exam Topic 2)

Which two HPE applications are installed on Windows operating systems with intelligent Provisioning? (Choose two.)

- A. Lights-Out Online Configuration Utility
- B. OneView
- C. UEFI Control Suite
- D. Intelligent Management Center
- E. Smart Storage Administrator

Answer: AE

NEW QUESTION 115

- (Exam Topic 2)

A customer needs to share files among their Microsoft Windows servers cost-effectively and requires disaster support. Which native StoreEasy features will address the customer's need? (select two) recovery

- A. Dual controller architecture
- B. DFS-Replication
- C. Microsoft Azure support
- D. Enhanced data deduplication
- E. File classification infrastructure

Answer: CD

NEW QUESTION 117

- (Exam Topic 2)

A customer is planning an upgrade to their network. They need to combine multiple existing switches into one virtual device. Which technology should the customer configure on their existing switches?

- A. Multi-chassis Link Aggregation (MLAG)
- B. Link Aggregation Control Protocol (LACP)
- C. Rapid Spanning Tree Protocol (RSTP)
- D. Intelligent Resilient Framework (IRF)

Answer: D

NEW QUESTION 120

- (Exam Topic 2)

A customer requires an entry-level, all-flash system with predictable performance at the lowest possible price. They have performance-sensitive workloads that require speed and efficiency.

Which HPE storage system needs the customer's requirements?

- A. Nimble CS1000
- B. Nimble SFA
- C. Nimble AF1000
- D. Nimble AF5000

Answer: B

NEW QUESTION 122

- (Exam Topic 2)

A customer needs a solution that supports rapid provisioning changes on physical bare-metal servers and on a virtualization hypervisor. They are considering migrating to a new solution that supports software-defined storage.

Which HPE compute platform should the customer implement?

- A. ProLiant DL
- B. BladeSystem
- C. Synergy
- D. SimpliVity

Answer: C

NEW QUESTION 123

- (Exam Topic 2)

A customer reports that their new iSCSI MSA 2052 has failed. You find that the MSA is up and running, but the servers cannot mount their LUNs. Which troubleshooting steps should you prioritize? (Choose two.)

- A. Use Smart Storage Administrator (SSA) to view the STATS report on the MSA
- B. Use NIC teaming utility to validate the iSCSI initiator configuration
- C. Use remote console to check the switch port configuration
- D. Use remote console to validate the WWNs on the MSA
- E. Use remote console to ensure correct MSA port configuration

Answer: CE

NEW QUESTION 127

- (Exam Topic 2)

A customer requires 12 Gb local storage for their VMware boot volumes, which require high-performance read cycles to enable the operating system to boot quickly.

Which drive type provides the most appropriate size and most cost-effective way to meet this requirement?

- A. Mixed-use SSD
- B. Flash media drive
- C. SATA nearline
- D. SAS midline

Answer: B

NEW QUESTION 131

- (Exam Topic 2)

A customer wants to safeguard their server firmware and asks you about the HPE ProLiant Gen10 features that provide this level of security.

Which Gen10 feature best addresses the customer's concern?

- A. The Secure Boot feature in Gen10 servers checks the signature of the firmware drivers and other files to ensure that the firmware is trusted by the operating system.
- B. Gen10 servers use silicon root of trust to validate and detect corrupted firmware, and authentication to block unauthorized updates.
- C. Gen10 servers support data encryption at rest, which uses cryptography on the database housing the data and on the physical storage where the databases are stored.
- D. The Trusted Platform Module (TPM) in Gen10 servers protects firmware by using public and private key encryption.

Answer: B

NEW QUESTION 136

- (Exam Topic 2)

A customer needs to virtualize their storage across physical servers and storage environments. Which HPE solution meets the customer's needs?

- A. Nimble CS3000
- B. StoreVirtual 4335
- C. StoreVirtual VSA
- D. MSA 2050

Answer: C

NEW QUESTION 139

- (Exam Topic 2)

Match the feature to the lowest iLO5 license in which it is available

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Last - last 3-2
1-1
3-3

NEW QUESTION 144

- (Exam Topic 2)

Which component of HPE iLO provides continuous monitoring of more than 1600 parameters?

- A. insight Diagnostics
- B. Active Health System
- C. Insight Remote Support
- D. Silicon root of trust

Answer: B

NEW QUESTION 145

- (Exam Topic 2)

You are installing a HPE MSA storage system and need to connect the power cooling module (PCM). What should you do to ensure power redundancy?

- A. Ensure that a physical service processor is properly connected to each PCM
- B. Verify that each cooling fan is cabled to a separate controller
- C. Connect each PCM within a shelf to a different power distribution unit (PDU)
- D. Connect redundant power cords from the PCM controller to independent power supplies

Answer: C

NEW QUESTION 147

- (Exam Topic 2)

A customer is configuring their SAN.

Which types of data typically require block storage? (Choose two.)

- A. Windows 2016 file server role
- B. Microsoft Exchange
- C. Oracle database
- D. Bridgehead medical image archive
- E. Enterprise Vault email archive

Answer: BC

NEW QUESTION 150

- (Exam Topic 2)

You are managing a HPE ProLiant rack-mount server and need to determine when the Remote Console was most recently used.

Where can you find this information?

- A. System
- B. IML
- C. iLO
- D. Audit

Answer: C

NEW QUESTION 154

- (Exam Topic 2)

You are onsite at a customer location to install a new network switch. The customer wants users to be able to manage the switch through the IP network.

How should you connect the switch to the network?

- A. Configure multiple user IDs or roles for the console connection
- B. Configure the management IP address on the switch and enable Telnet or SSH access
- C. Use a dedicated console cable to create a dedicated management network for every user
- D. Connect the switch to the network by using the serial cable that ships with the switch

Answer: B

NEW QUESTION 157

- (Exam Topic 2)

You are designing a system for a customer that has a contract with a government agency. The contract requires the highest level of security algorithms possible.

Which HPE ProLiant Gen10 feature set will address this customer's needs?

- A. CNSA mode
- B. FIPS 140-2 mode
- C. high security mode

D. production mode

Answer: A

NEW QUESTION 160

- (Exam Topic 2)

When should you use the HPE Switch Selector?

- A. when you need to list the price information of the switches
- B. when you need to select a switch VLAN configuration
- C. when you need to compare features between multiple switches
- D. when you need to perform a competitive analysis between vendors

Answer: C

NEW QUESTION 161

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

HPE0-V14 Practice Exam Features:

- * HPE0-V14 Questions and Answers Updated Frequently
- * HPE0-V14 Practice Questions Verified by Expert Senior Certified Staff
- * HPE0-V14 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE0-V14 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The HPE0-V14 Practice Test Here](#)