

Microsoft

Exam Questions AZ-303

Microsoft Azure Architect Technologies (beta)



NEW QUESTION 1

- (Exam Topic 1)

You need to identify the storage requirements for Contoso.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Contoso is moving the existing product blueprint files to Azure Blob storage.

Use unmanaged standard storage for the hard disks of the virtual machines. We use Page Blobs for these. Box 2: No

Box 3: No

NEW QUESTION 2

- (Exam Topic 2)

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the users shown in the following table.

You plan to install Azure AD Connect and enable SSO.

You need to specify which user to use to enable SSO. The solution must use the principle of least privilege. Which user should you specify?

- A. User4
- B. User1
- C. User3
- D. User2

Answer: C

NEW QUESTION 3

- (Exam Topic 2)

You have an Azure subscription that contains an Azure key vault named KeyVault1 and the virtual machines shown in the following table.

KeyVault1 has an access policy that provides several users with Create Key permissions. You need to ensure that the users can only register secrets in KeyVault1 from VM1. What should you do?

- A. Create a network security group (NSG) that is linked to Subnet1.
- B. Configure the Firewall and virtual networks settings for KeyVault1.
- C. Modify the access policy for KeyVault1.
- D. Configure KeyVault1 to use a hardware security module (HSM).

Answer: C

Explanation:

You grant data plane access by setting Key Vault access policies for a key vault. Note 1: Grant our VM's system-assigned managed identity access to the Key Vault.

Select Access policies and click Add new.

In Configure from template, select Secret Management.

Choose Select Principal, and in the search field enter the name of the VM you created earlier. Select the VM in the result list and click Select. Click OK to finishing adding the new access policy, and OK to finish access policy selection.

Note 2: Access to a key vault is controlled through two interfaces: the management plane and the data plane. The management plane is where you manage Key Vault itself. Operations in this plane include creating and deleting key vaults, retrieving Key Vault properties, and updating access policies. The data plane is where you work with the data stored in a key vault. You can add, delete, and modify keys, secrets, and certificates.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/tutorial-windows-vm> <https://docs.microsoft.com/en-us/azure/key-vault/general/secure-your-key-vault2>

NEW QUESTION 4

- (Exam Topic 2)

You have Azure Storage accounts as shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Note: The three different storage account options are: General-purpose v2 (GPv2) accounts, General-purpose v1 (GPv1) accounts, and Blob storage accounts.

General-purpose v2 (GPv2) accounts are storage accounts that support all of the latest features for blobs, files, queues, and tables.

Blob storage accounts support all the same block blob features as GPv2, but are limited to supporting only block blobs.

General-purpose v1 (GPv1) accounts provide access to all Azure Storage services, but may not have the latest features or the lowest per gigabyte pricing.

References:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-account-options>

NEW QUESTION 5

- (Exam Topic 2)

You have an Azure SQL database named Db1 that runs on an Azure SQL server named SQLserver1. You need to ensure that you can use the query editor on the Azure portal to query Db1.

What should you do?

- A. Modify the Advanced Data Security settings of Db1
- B. Configure the Firewalls and virtual networks settings for SQLserver1
- C. Copy the ADO.NET connection string of Db1 and paste the string to the query editor
- D. Approve private endpoint connections for SQLserver1

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-connect-query-portal>

NEW QUESTION 6

- (Exam Topic 2)

You have an Azure Resource Manager template for a virtual machine named Template1. Template1 has the following parameters section.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The Resource group is not specified.

Box 2: No

The default value for the operating system is Windows 2016 Datacenter.

Box 3: Yes

Location is no default value. References:

<https://docs.microsoft.com/bs-latn-ba/azure/virtual-machines/windows/ps-template>

NEW QUESTION 7

- (Exam Topic 2)

You have an Azure subscription named Subscription1 that is used by several departments at your company. Subscription1 contains the resources in the following table.

Another administrator deploys a virtual machine named VM1 and an Azure Storage account named Storage2 by using a single Azure Resource Manager template. You need to view the template used for the deployment.

From which blade can you view the template that was used for the deployment?

- A. Container1
- B. VM1
- C. Storage2
- D. RG1

Answer: D

NEW QUESTION 8

- (Exam Topic 2)

You have an Azure subscription that contains the resource groups shown in the following table.

You create an Azure Resource Manager template named Template1 as shown in the following exhibit.

From the Azure portal, you deploy Template1 four times by using the settings shown in the following table.

What is the result of the deployment? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 9

- (Exam Topic 2)

You have an Azure subscription that contains multiple resource groups. You create an availability set as shown in the following exhibit.

You deploy 10 virtual machines to AS1.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 6

Two out of three update domains would be available, each with at least 3 VMs.

An update domain is a group of VMs and underlying physical hardware that can be rebooted at the same time. As you create VMs within an availability set, the Azure platform automatically distributes your VMs across these update domains. This approach ensures that at least one instance of your application always remains running as the Azure platform undergoes periodic maintenance.

Box 2: the West Europe region and the RG1 resource group References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/regions-and-availability>

NEW QUESTION 10

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other Identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles. You need to ensure that the Admin1 can create access reviews in contoso.com.

Solution: You purchase an Azure Directory Premium P2 license for contoso.com. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

Conduct access reviews to ensure users still need roles References:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

NEW QUESTION 10

- (Exam Topic 2)

You have several Azure virtual machines on a virtual network named VNet1. You configure an Azure Storage account as shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Never

Box 2: Never

After you configure firewall and virtual network settings for your storage account, select Allow trusted Microsoft services to access this storage account as an exception to enable Azure Backup service to access the network restricted storage account.

<https://docs.microsoft.com/en-us/azure/storage/files/storage-how-to-use-files-windows> <https://azure.microsoft.com/en-us/blog/azure-backup-now-supports-storage-accounts-secured-with-azure-storage>

NEW QUESTION 12

- (Exam Topic 2)

Your company has the groups shown in the following table.

The company has an Azure subscription that contains an Azure Active Directory (Azure AD) tenant named contoso.com.

An administrator named Admin1 attempts to enable Enterprise State Roaming for all the users in the Managers group.

Admin1 reports that the options for Enterprise State Roaming are unavailable from Azure AD. You verify that Admin1 is assigned the Global administrator role.

You need to ensure that Admin1 can enable Enterprise State Roaming. What should you do?

- A. Enforce Azure Multi-Factor Authentication (MFA) for Admin1.
- B. Purchase an Azure AD Premium P1 license for each user in the Managers group.
- C. Assign an Azure AD Privileged Identity Management (PIM) role to Admin1.
- D. Purchase an Azure Rights Management (Azure RMS) license for each user in the Managers group.

Answer: B

Explanation:

Enterprise State Roaming is available to any organization with an Azure AD Premium or Enterprise Mobility + Security (EMS) license.

References:

<https://docs.microsoft.com/bs-latn-ba/azure/active-directory/devices/enterprise-state-roaming-enable>

NEW QUESTION 17

- (Exam Topic 2)

You have an Azure subscription that contains the resource groups shown in the following table.

RG1 contains the virtual machines shown in the following table.

RG2 contains the virtual machines shown in the following table.

All the virtual machines are configured to use premium disks and are accessible from the Internet.

VM1 and VM2 are in an availability set named AVSET1. VM3 and VM4 are in the same availability zone and are in an availability set named AVSET2. VM5 and VM6 are in different availability zones.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

VM1 and VM2 are in an availability set named AVSET1.

For all Virtual Machines that have two or more instances deployed in the same Availability Set, we [Microsoft] guarantee you will have Virtual Machine Connectivity to at least one instance at least 99.95% of the time.

Box 2: No

VM3 and VM4 are in the same availability zone and are in an availability set named AVSET2. Box 3: Yes

VM5 and VM6 are in different availability zones.

For all Virtual Machines that have two or more instances deployed across two or more Availability Zones in the same Azure region, we [Microsoft] guarantee you will have Virtual Machine Connectivity to at least one instance at least 99.99% of the time.

References:

https://azure.microsoft.com/en-us/support/legal/sla/virtual-machines/v1_8/

NEW QUESTION 19

- (Exam Topic 2)

You have an Azure subscription that contains the Azure SQL servers shown in the following table.

The subscription contains the elastic pool shown in the following table.

The subscription contains the Azure SQL databases shown in the following table.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Note: You cannot add databases from different servers into the same pool
Box 1: Yes
Pool2 contains DB2 but DB1 and DB2 are on Sql1. DB1 can thus be added to Pool2. Box 2: Yes
Pool3 is empty. Box 3: Yes
Pool1 contains DB1 but DB3 and DB1 are on Sql1. DB3 can thus be added to Pool1. References:
<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-elastic-pool>

NEW QUESTION 24

- (Exam Topic 2)

Your company has a virtualization environment that contains the virtualization hosts shown in the following table.

The virtual machines are configured as shown in the following table.

All the virtual machines use basic disks. VM1 is protected by using BitLocker Drive Encryption (BitLocker). You plan to migrate the virtual machines to Azure by using Azure Site Recovery.

You need to identify which virtual machines can be migrated.

Which virtual machines should you identify for each server? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 25

- (Exam Topic 2)

You have an Azure App Service app.

You need to implement tracing for the app. The tracing information must include the following:

- Usage trends
- AJAX call responses
- Page load speed by browser
- Server and browser exceptions

What should you do?

- A. Configure IIS logging in Azure Log Analytics.
- B. Configure a connection monitor in Azure Network Watcher.
- C. Configure custom logs in Azure Log Analytics.
- D. Enable the Azure Application Insights site extension.

Answer: D

Explanation:

For web pages, Application Insights JavaScript SDK automatically collects AJAX calls as dependencies. Note: Some of the things you can track or collect are: What are the most popular webpages in your application, at what time of day and where is that traffic coming from?

Dependency rates or response times and failure rates to find out if there's an external service that's causing performance issues on your app, maybe a user is using a portal to get through to your application and there are response time issues going through there for instance.

Exceptions for both server and browser information, as well as page views and load performance from the end users' side.

Reference:

<https://azure.microsoft.com/en-us/blog/ajax-collection-in-application-insights/> <https://blog.prismaticworks.com/what-is-application-insights>

NEW QUESTION 28

- (Exam Topic 2)

You have an Azure Cosmos DB account named Account1. Account1 includes a database named DB1 that contains a container named Container 1. The partition key for Container1 is set to /city.

You plan to change the partition key for Container1. What should you do first?

- A. Delete Container1
- B. Create a new container in DB1
- C. Regenerate the keys for Account1.
- D. Implement the Azure CosmosDB.NET SDK

Answer: B

Explanation:

The good news is that there are two features, the Change Feed Processor and Bulk Executor Library, in Azure Cosmos DB that can be leveraged to achieve a live migration of your data from one container to another. This allows you to re-distribute your data to match the desired new partition key scheme, and make the relevant application changes afterwards, thus achieving the effect of "updating your partition key".

Reference:

<https://devblogs.microsoft.com/cosmosdb/how-to-change-your-partition-key/>

NEW QUESTION 29

- (Exam Topic 2)

You plan to automate the deployment of a virtual machine scale set that uses the Windows Server 2016 Datacenter image. You need to ensure that when the scale set virtual machines are provisioned, they have web server components installed. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Create a new virtual machine scale set in the Azure portal.
- B. Create an automation account.
- C. Upload a configuration script.
- D. Modify the extensionProfile section of the Azure Resource Manager template.
- E. Create an Azure policy.

Answer: AD

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/virtual-machine-scale-sets/tutorial-install-apps-template>

NEW QUESTION 30

- (Exam Topic 2)

You are implementing authentication for applications in your company. You plan to implement self-service password reset (SSPR) and multifactor authentication (MFA) in Azure Active Directory (Azure AD).

You need to select authentication mechanisms that can be used for both MFA and SSPR.

Which two authentication methods should you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Short Message Service (SMS) messages
- B. Authentication app
- C. Email addresses
- D. Security questions
- E. App passwords

Answer: AB

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-methods>

NEW QUESTION 34

- (Exam Topic 2)

You create and save an Azure Resource Manager template named Template1 that includes the following four sections.

You deploy template1.

For each of the following statement, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 35

- (Exam Topic 2)

You create an Azure virtual machine named VM1 in a resource group named RG1. You discover that VM1 performs slower than expected. You need to capture a network trace on VM1. What should you do?

- A. From Diagnostic settings for VM1, configure the performance counters to include network counters.
- B. From the VM1 blade, configure Connection troubleshoot.
- C. From the VM1 blade, install performance diagnostics and run advanced performance analysis
- D. From Diagnostic settings for VM1, configure the log level of the diagnostic agent.

Answer: C

Explanation:

The performance diagnostics tool helps you troubleshoot performance issues that can affect a Windows or Linux virtual machine (VM). Supported troubleshooting scenarios include quick checks on known issues and best practices, and complex problems that involve slow VM performance or high usage of CPU, disk space, or memory.

Advanced performance analysis, included in the performance diagnostics tool, includes all checks in the performance analysis, and collects one or more of the traces, as listed in the following sections. Use this scenario to troubleshoot complex issues that require additional traces. Running this scenario for longer periods will increase the overall size of diagnostics output, depending on the size of the VM and the trace options that are selected.

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/troubleshooting/performance-diagnostics>

NEW QUESTION 36

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other Identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles. You need to ensure that Admin1 can create access reviews in contoso.com.

Solution: You assign the Service administrator role to Admin1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

Conduct access reviews to ensure users still need roles

References:
<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

NEW QUESTION 37

- (Exam Topic 2)

You have the Azure SQL Database servers shown in the following table.

You have the Azure SQL databases shown in the following table.

You create a failover group named failover1 that has the following settings:

- Primary server: sqlserver1
- Secondary server: sqlserver2
- Read/Write failover policy: Automatic
- Read/Write grace period (hours): 1 hour

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 41

- (Exam Topic 2)

: 292 HOTSPOT

From Azure Cosmos DB, you create the containers shown in the following table.

You add the following item to Container1.

You plan to add items to Azure Cosmos DB as shown in the following table.

You need to identify which items can be added successfully to Container1 and Container2.

What should you identify for each container? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 43

- (Exam Topic 2)

You have an on-premises virtual machine named VM1 configured as shown in the following exhibit.

VM is started.

You need to create a new virtual machine image in Azure from VM1.

Which three actions should you perform before you create the new image? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Remove the Backup (volume shadow copy) integration service
- B. Generalize VM1
- C. Run Add-AzureRmVhd and specify a blob service container as the destination
- D. Run Add-AzureRmVhd and specify a file share as the destination
- E. Reduce the amount of memory to 16 GB
- F. Convert the disk type to VHD

Answer: BCF

NEW QUESTION 48

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host. You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image. Solution: You add the following line to the Dockerfile.

```
COPY File1.txt C:/Folder1/
```

You then build the container image. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Copy is the correct command to copy a file to the container image but the root directory is specified as '/' and not as 'C:/'.

References:

https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy <https://docs.docker.com/engine/reference/builder/>

NEW QUESTION 51

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant that contains a group named Group1. You need to enable multi-factor authentication (MFA) for the users in Group1 only.

Solution: From Multi-Factor Authentication, you select Bulk update, and you provide a CSV file that contains the members of Group1.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

We should use a Conditional Access policy.

Note: There are two ways to secure user sign-in events by requiring multi-factor authentication in Azure AD. The first, and preferred, option is to set up a Conditional Access policy that requires multi-factor authentication under certain conditions. The second option is to enable each user for Azure Multi-Factor Authentication. When users are enabled individually, they perform multi-factor authentication each time they sign in (with some exceptions, such as when they sign in from trusted IP addresses or when the remembered devices feature is turned on).

Enabling Azure Multi-Factor Authentication using Conditional Access policies is the recommended approach. Changing user states is no longer recommended unless your licenses don't include Conditional Access as it requires users to perform MFA every time they sign in.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-userstates>

NEW QUESTION 55

- (Exam Topic 2)

You create a container image named Image1 on a developer workstation.

You plan to create an Azure Web App for Containers named WebAppContainer that will use Image1. You need to upload Image1 to Azure. The solution must ensure that WebAppContainer can use Image1. To which storage type should you upload Image1?

- A. Azure Container Registry
- B. an Azure Storage account that contains a blob container
- C. an Azure Storage account that contains a file share
- D. Azure Container Instances

Answer: A

Explanation:

Configure registry credentials in web app.

App Service needs information about your registry and image to pull the private image. In the Azure portal, go to Container settings from the web app and update the Image source, Registry and save.

References:

<https://docs.microsoft.com/en-us/azure/devops/pipelines/targets/webapp-on-container-linux>

NEW QUESTION 60

- (Exam Topic 2)

Your company hosts multiple websites by using Azure virtual machine scale sets (VMSS) that run Internet Information Server (IIS).

All network communications must be secured by using end to end Secure Socket Layer (SSL) encryption. User sessions must be routed to the same server by using cookie-based session affinity.

The image shown depicts the network traffic flow for the websites to the VMSS.

Use the drop-down menus to select the answer choice that answers each question.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Azure Application Gateway

You can create an application gateway with URL path-based redirection using Azure PowerShell. Box 2: Path-based redirection and Websockets

Reference:

<https://docs.microsoft.com/bs-latn-ba/azure//application-gateway/tutorial-url-redirect-powershell>

NEW QUESTION 63

- (Exam Topic 2)

You have the virtual machines shown in the following table.

You deploy an Azure bastion named Bastion1 to VNET1.

To which virtual machines can you connect by using Bastion1?

- A. VM1 only
- B. VM1 and VM2 only
- C. VM2 and VM3 only
- D. VM1, VM2, and VM3

Answer: C

NEW QUESTION 67

- (Exam Topic 2)

You have resources in three Azure regions. Each region contains two virtual machines. Each virtual machine has a public IP address assigned to its network interface and a locally installed application named App1.

You plan to implement Azure Front Door-based load balancing across all the virtual machines.

You need to ensure that App1 on the virtual machines will only accept traffic routed from Azure Front Door. What should you implement?

- A. Azure Private Link
- B. service endpoints
- C. network security groups (NSGs) with service tags
- D. network security groups (NSGs) with application security groups

Answer: C

Explanation:

Configure IP ACLing for your backends to accept traffic from Azure Front Door's backend IP address space and Azure's infrastructure services only. Refer the IP details below for ACLing your backend:

Refer AzureFrontDoor.Backend section in Azure IP Ranges and Service Tags for Front Door's IPv4 backend IP address range or you can also use the service tag AzureFrontDoor.Backend in your network security groups.

Reference:

<https://docs.microsoft.com/en-us/azure/frontdoor/front-door-faq>

NEW QUESTION 71

- (Exam Topic 2)

Your company plans to develop an application that will use a NoSQL database. The database will be used to store transactions and customer information by using JSON documents. Which two Azure Cosmos DB APIs can developers use for the application? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Cassandra
- B. Gremlin (graph)
- C. MongoDB
- D. Azure Table
- E. Core (SQL)

Answer: DE

NEW QUESTION 75

- (Exam Topic 2)

You have an Azure subscription.

You plan to deploy an app that has a web front end and an application tier.

You need to recommend a load balancing solution that meets the following requirements:

Internet to web tier:

- Provides URL-based routing
- Supports connection draining
- Prevents SQL injection attacks

Web tier to application tier:

- Provides port forwarding
- Supports HTTPS health probes
- Supports an availability set as a backend pool

Which load balancing solution should you recommend for each tier? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: An Azure Application Gateway that has a web application firewall (WAF)

Azure Application Gateway offers a web application firewall (WAF) that provides centralized protection of your web applications from common exploits and vulnerabilities. Web applications are increasingly targeted by malicious attacks that exploit commonly known vulnerabilities. SQL injection and cross-site scripting are among the most common attacks.

Application Gateway operates as an application delivery controller (ADC). It offers Secure Sockets Layer (SSL) termination, cookie-based session affinity, round-robin load distribution, content-based routing, ability to host multiple websites, and security enhancements.

Box 2: An internal Azure Standard Load Balancer

The internet to web tier is the public interface, while the web tier to application tier should be internal. Note: When using load-balancing rules with Azure Load Balancer, you need to specify a health probes to allow Load Balancer to detect the backend endpoint status.

Health probes support the TCP, HTTP, HTTPS protocols. References:

<https://docs.microsoft.com/en-us/azure/application-gateway/waf-overview> <https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-custom-probe-overview>

NEW QUESTION 79

- (Exam Topic 2)

You create the following Azure role definition.

You need to create Role1 by using the role definition.

Which two values should you modify before you create Role1? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. AssignableScopes
- B. Description
- C. DataActions
- D. IsCustom
- E. Id

Answer: AD

Explanation:

Part of example: "IsCustom": true,

"AssignableScopes": ["/subscriptions/{subscriptionId1}", "/subscriptions/{subscriptionId2}",
"/subscriptions/{subscriptionId3}"

The following shows what a custom role looks like as displayed in JSON format. This custom role can be used for monitoring and restarting virtual machines.

```
{  
  "Name": "Virtual Machine Operator",  
  "Id": "88888888-8888-8888-8888-888888888888",  
  "IsCustom": true,  
  "Description": "Can monitor and restart virtual machines.", "Actions": [  
    "Microsoft.Storage/*/read", "Microsoft.Network/*/read", "Microsoft.Compute/*/read", "Microsoft.Compute/virtualMachines/start/action",  
    "Microsoft.Compute/virtualMachines/restart/action", "Microsoft.Authorization/*/read", "Microsoft.ResourceHealth/availabilityStatuses/read",  
    "Microsoft.Resources/subscriptions/resourceGroups/read", "Microsoft.Insights/alertRules/*", "Microsoft.Insights/diagnosticSettings/*", "Microsoft.Support/*"  
  ],  
  "NotActions": [],  
  "DataActions": [], "NotDataActions": [], "AssignableScopes": [ "/subscriptions/{subscriptionId1}",  
    "/subscriptions/{subscriptionId2}", "/subscriptions/{subscriptionId3}"  
  ]  
}
```

Reference:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/custom-roles>

NEW QUESTION 81

- (Exam Topic 2)

You have a web server app named App1 that is hosted in three Azure regions. You plan to use Azure Traffic Manager to distribute traffic optimally for App1.

You need to enable Real User Measurements to monitor the network latency data for App1. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Select Generate key

You can configure your web pages to send Real User Measurements to Traffic Manager by obtaining a Real User Measurements (RUM) key and embedding the generated code to web page.

Obtain a Real User Measurements key

The measurements you take and send to Traffic Manager from your client application are identified by the service using a unique string, called the Real User Measurements (RUM) Key. You can get a RUM key using the Azure portal, a REST API, or by using the PowerShell or Azure CLI.

To obtain the RUM Key using Azure portal:

From a browser, sign in to the Azure portal. If you don't already have an account, you can sign up for a free one-month trial.

In the portal's search bar, search for the Traffic Manager profile name that you want to modify, and then click the Traffic Manager profile in the results that the displayed.

In the Traffic Manager profile blade, click Real User Measurements under Settings.

Click Generate Key to create a new RUM Key.

Box 2: Embed the Traffic Manager JavaScript code snippet. Embed the code to an HTML web page

After you have obtained the RUM key, the next step is to embed this copied JavaScript into an HTML page that your end users visit.

This example shows how to update an HTML page to add this script. You can use this guidance to adapt it to your HTML source management workflow.

Open the HTML page in a text editor

Paste the JavaScript code you had copied in the earlier step to the BODY section of the HTML (the copied code is on line 8 & 9, see figure 3).

Reference:

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-create-rum-web-pages>

NEW QUESTION 84

- (Exam Topic 2)

Your company has an Azure Container Registry named Registry1.

You have an Azure virtual machine named Server1 that runs Windows Server 2019. From Server1, you create a container image named image1.

You need to add image1 to Registry1.

Which command should you run on Server1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

An Azure container registry stores and manages private Docker container images, similar to the way Docker Hub stores public Docker images. You can use the Docker command-line interface (Docker CLI) for login, push, pull, and other operations on your container registry.

Reference:

<https://docs.microsoft.com/en-us/azure/container-registry/container-registry-get-started-docker-cli> <https://docs.docker.com/engine/reference/commandline/push/>

NEW QUESTION 88

- (Exam Topic 2)

You have an Azure Active Directory (Azure AD) tenant that contains the user groups shown in the following table.

You enable self-service password reset (SSPR) for Group1.
You configure the Notifications settings as shown in the following exhibit.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Notify all admins when other admins reset their passwords: Yes. Box 2: No

Notify users on password resets: No. Box 3: No

Notify users on password resets

If this option is set to Yes, then users resetting their password receive an email notifying them that their password has been changed. The email is sent via the SSPR portal to their primary and alternate email addresses that are on file in Azure AD. No one else is notified of the reset event.

Notify all admins when other admins reset their passwords

If this option is set to Yes, then all administrators receive an email to their primary email address on file in Azure AD. The email notifies them that another administrator has changed their password by using SSPR.

Example: There are four administrators in an environment. Administrator A resets their password by using SSPR. Administrators B, C, and D receive an email alerting them of the password reset.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-howitworks> <https://docs.microsoft.com/en-us/azure/active-directory/authentication/tutorial-enable-sspr>

NEW QUESTION 91

- (Exam Topic 2)

You have two Azure SQL Database managed instances in different Azure regions. You plan to configure the managed instances in an instance failover group. What should you configure before you can add the managed instances to the instance failover group?

- A. Azure Private Link that has endpoints on two virtual networks
- B. an internal Azure Load Balancer instance that has managed instance endpoints in a backend pool
- C. an Azure Application Gateway that has managed instance endpoints in a backend pool
- D. a Site-to-Site VPN between the virtual networks that contain the instances

Answer: D

Explanation:

For two managed instances to participate in a failover group, there must be either ExpressRoute or a gateway configured between the virtual networks of the two managed instances to allow network communication.

You create the two VPN gateways and connect them.

Create a bidirectional connection between the two gateways of the two virtual networks.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/managed-instance/failover-group-add-instance-tutorial?tabs=az>

NEW QUESTION 92

- (Exam Topic 2)

You are developing an Azure Web App. You configure TLS mutual authentication for the web app.

You need to validate the client certificate in the web app. To answer, select the appropriate options in the answer area.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 95

- (Exam Topic 2)

The developers at your company request that you create databases in Azure Cosmos DB as shown in the following table.

You need to create the Azure Cosmos DB databases to meet the developer request. The solution must minimize costs. What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Create three Azure Cosmos DB accounts, one for the databases that use the Core (SQL) API, one for CosmosDB2, and one for CosmosDB4.
- B. Create two Azure Cosmos DB accounts, one for CosmosDB2 and CosmosDB4 and one for CosmosDB1 and CosmosDB3.
- C. Create one Azure Cosmos DB account for each database.
- D. Create three Azure Cosmos DB accounts, one for the databases that use the MongoDB API, one for CosmosDB1, and one for CosmosDB3.

Answer: BD

Explanation:

Note:

Microsoft recommends using the same API for all access to the data in a given account.

One throughput provisioned container per subscription for SQL, Gremlin API, and Table accounts. Up to three throughput provisioned collections per subscription for MongoDB accounts.

The throughput provisioned on an Azure Cosmos container is exclusively reserved for that container. The container receives the provisioned throughput all the time.

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/set-throughput#set-throughput-on-a-container>

NEW QUESTION 99

- (Exam Topic 2)

A company plans to use third-party application software to perform complex data analysis processes. The software will use up to 500 identical virtual machines (VMs) based on an Azure Marketplace VM image.

You need to design the infrastructure for the third-party application server. The solution must meet the following requirements:

The number of VMs that are running at any given point in time must change when the user workload changes.

When a new version of the application is available in Azure Marketplace it must be deployed without causing application downtime.

Use VM scale sets.

Minimize the need for ongoing maintenance.

Which two technologies should you recommend? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. single storage account
- B. autoscale
- C. single placement group
- D. managed disks

Answer: BD

Explanation:

Introduction to Azure managed disks

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/managed-disks-overview> "Using managed disks, you can create up to 50,000 VM disks of a type in a subscription per region, allowing you to create thousands of VMs in a single subscription. This feature also further increases the scalability of virtual machine scale sets by allowing you to create up to 1,000 VMs in a virtual machine scale set using a Marketplace image."

NEW QUESTION 103

- (Exam Topic 2)

You have an Azure subscription that contains the resources shown in the following table.

In RG2, you need to create a new virtual machine named VM2 that will connect to VNET1. VM2 will use a network interface named VM2_Interface.

In which region should you create VM2 and VM2_Interface? To answer, drag the appropriate regions to the correct targets. Each region may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

VM2: West US

In RG2, which is in West US, you need to create a new virtual machine named VM2. VM2_interface: East US

VM2 will use a network interface named VM2_Interface to connect to VNET1, which is in East US. References:

<https://docs.microsoft.com/en-us/azure/virtual-network/associate-public-ip-address-vm>

NEW QUESTION 108

- (Exam Topic 2)

You have SQL Server on an Azure virtual machine named SQL1.

You need to automate the backup of the databases on SQL1 by using Automated Backup v2 for the virtual machines. The backups must meet the following requirements:

- Meet a recovery point objective (RPO) of 15 minutes.
- Retain the backups for 30 days.
- Encrypt the backups at rest.

What should you provision as part of the backup solution?

- A. Azure Key Vault
- B. an Azure Storage account
- C. a Recovery Services vault
- D. Elastic Database jobs

Answer: B

Explanation:

An Azure storage account is used for storing Automated Backup files in blob storage. A container is created at this location to store all backup files. The backup file naming convention includes the date, time, and database GUID.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/virtual-machines/windows/automated-backup>

NEW QUESTION 112

- (Exam Topic 2)

You plan to create an Azure Storage account in the Azure region of East US 2. You need to create a storage account that meets the following requirements:

Replicates synchronously

Remains available if a single data center in the region fails

How should you configure the storage account? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Zone-redundant storage (ZRS)

Zone-redundant storage (ZRS) replicates your data synchronously across three storage clusters in a single region.

LRS would not remain available if a data center in the region fails GRS and RA GRS use asynchronous replication.

Box 2: StorageV2 (general purpose V2) ZRS only support GPv2.

References:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy> <https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy-zrs>

NEW QUESTION 116

- (Exam Topic 2)

You have Azure virtual machines deployed to three Azure regions. Each region contains a single virtual network that has four virtual machines on the same subnet. Each virtual machine runs an application named App1. App1 is accessible by using HTTPS. Currently, the virtual machines are inaccessible from the internet.

You need to use Azure Front Door to load balance requests for App1 across all the virtual machines. Which additional Azure service should you provision?

- A. a public Azure Load Balancer
- B. Azure Traffic Manager
- C. an internal Azure Load Balancer
- D. Azure Private Link

Answer: A

NEW QUESTION 120

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AZ-303 Practice Exam Features:

- * AZ-303 Questions and Answers Updated Frequently
- * AZ-303 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-303 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-303 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-303 Practice Test Here](#)