



Cisco

Exam Questions 300-735

Automating and Programming Cisco Security Solutions (SAUTO)

NEW QUESTION 1

Refer to the exhibit. A security engineer attempts to query the Cisco Security Management appliance to retrieve details of a specific message. What must be added to the script to achieve the desired result?

- A. Add message ID information to the URL string as a URI.
- B. Run the script and parse through the returned data to find the desired message.
- C. Add message ID information to the URL string as a parameter.
- D. Add message ID information to the headers.

Answer: C

NEW QUESTION 2

DRAG DROP

```
# Threat Grid URL used for collecting samples
tg_url = '_____/_____'

# Parameters for Threat Grid API query
tg_parameters = {'api_key': [_____] ,
                'advanced': 'true',
                'state': 'succ',
                'q': '_____' }

# Query Threat Grid for samples
request = _____ (tg_url, params=tg_parameters)
```

Refer to the exhibit.
Drag and drop the elements from the left onto the script on the right that queries Cisco ThreatGRID for indications of compromise.
Select and Place:

YOUR_API_CLIENT_ID	hostname
requests.get	uri API request
api/v2/search/submissions	API key
https://panacea.threatgrid.com	query parameters
analysis.threat_score:>=95	requests command

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

YOUR_API_CLIENT_ID	https://panacea.threatgrid.com
requests.get	api/v2/search/submissions
api/v2/search/submissions	YOUR_API_CLIENT_ID
https://panacea.threatgrid.com	analysis.threat_score:>=95
analysis.threat_score:>=95	requests.get

NEW QUESTION 3

What are two advantages of Python virtual environments? (Choose two.)

- A. Virtual environments can move compiled modules between different platforms.
- B. Virtual environments permit non-administrative users to install packages.
- C. The application code is run in an environment that is destroyed upon exit.
- D. Virtual environments allow for stateful high availability.

E. Virtual environments prevent packaging conflicts between multiple Python projects.

Answer: CE

NEW QUESTION 4

DRAG DROP

Drag and drop the code to complete the curl query to the Umbrella Reporting API that provides a detailed report of blocked security activity events from the organization with an organizationId of "12345678" for the last 24 hours. Not all options are used.

Select and Place:

```
curl --include --header "Authorization: Basic %base64string%"  
https://reports.api.umbrella.com/v1/ [ ] /  
[ ] / [ ]
```

12345678

security-activity

security-activity-events

organizations

organizationId

security-events

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```
curl --include --header "Authorization: Basic %base64string%"  
https://reports.api.umbrella.com/v1/ [ organizations ] /  
[ organizationId ] / [ security-activity ]
```

12345678

security-activity

security-activity-events

organizations

organizationId

security-events

NEW QUESTION 5

When the URI "/api/fmc_config/v1/domain/e276abec-e0f2-11e3-8169-6d9ed49b625f/policy/accesspolicies" is used to make a POST request, what does "e276abec-e0f2-11e3-8169- 6d9ed49b625f" represent?

- A. API token
- B. domain UUID
- C. access policy UUID
- D. object UUID

Answer: B

NEW QUESTION 6

For which two programming languages does Cisco offer an SDK for Cisco pxGrid 1.0? (Choose two.)

- A. Python
- B. Perl
- C. Java
- D. C
- E. JavaScript

Answer: CD

NEW QUESTION 7

Which two URI parameters are needed for the Cisco Stealthwatch Top Alarm Host v1 API? (Choose two.)

- A. startAbsolute
- B. externalGeos
- C. tenantId
- D. intervalLength
- E. tagID

Answer: CE

NEW QUESTION 8

Which two event types can the eStreamer server transmit to the requesting client from a managed device and a management center? (Choose two.)

- A. user activity events
- B. intrusion events
- C. file events
- D. intrusion event extra data
- E. malware events

Answer: BD

NEW QUESTION 9

Refer to the exhibit. The script outputs too many results when it is queried against the Cisco Umbrella Reporting API. Which two configurations restrict the returned result to only 10 entries? (Choose two.)

- A. Add params parameter in the get and assign in the {"return": "10"} value.
- B. Add ?limit=10 to the end of the URL string.
- C. Add params parameter in the get and assign in the {"limit": "10"} value.
- D. Add ?find=10 to the end of the URL string.
- E. Add ?return=10 to the end of the URL string.

Answer: BC

NEW QUESTION 10

```
import json
import requests

BASE_URL = "https://investigate.api.umbrella.com"
HEADERS = {"Authorization": "Bearer %YourToken%"}

---MISSING CODE---

request= requests.get(URL, parmas= PARAMS,
verify=False)
```

Refer to the exhibit. A network operator must create a Python script that makes an API request to Cisco Umbrella to do a pattern search and return all matched URLs with category information.

Which code completes the script?

- A. URL = BASE_URL + "/find/exa[a-z]ple.com" PARAMS = { "categoryinclude" : "true"}
- B. URL = BASE_URL + "/find/exa[a-z]ple.com" PARAMS = { "returncategory" : "true"}
- C. URL = BASE_URL + "/find/exa[a-z]ple.com" PARAMS = { "includeCategory" : "true"}
- D. URL = BASE_URL + "/find/exa[a-z]ple.com" PARAMS = { "returnCategory" : "true"}

Answer: D

NEW QUESTION 10

Which two statements describe the characteristics of API styles for REST and RPC? (Choose two.)

- A. REST-based APIs function in a similar way to procedures.
- B. REST-based APIs are used primarily for CRUD operations.
- C. REST and RPC API styles are the same.
- D. RPC-based APIs function in a similar way to procedures.
- E. RPC-based APIs are used primarily for CRUD operations.

Answer: BD

NEW QUESTION 14

Which API is used to query if the domain "example.com" has been flagged as malicious by the Cisco Security Labs team?

- A. <https://s-platform.api.opendns.com/1.0/events?example.com>
- B. <https://investigate.api.umbrella.com/domains/categorization/example.com>
- C. <https://investigate.api.umbrella.com/domains/volume/example.com>
- D. <https://s-platform.api.opendns.com/1.0/domains?example.com>

Answer: B

NEW QUESTION 17

What is the purpose of the snapshot APIs exposed by Cisco Stealthwatch Cloud?

- A. Report on flow data during a customizable time period.
- B. Operate and return alerts discovered from infrastructure observations.
- C. Return current configuration data of Cisco Stealthwatch Cloud infrastructure.

D. Create snapshots of supported Cisco Stealthwatch Cloud infrastructure.

Answer: B

NEW QUESTION 22

Which step is required by Cisco pxGrid providers to expose functionality to consumer applications that are written in Python? A. Look up the existing service using the /pxgrid/control/ServiceLookup endpoint.

- A. Register the service using the /pxgrid/control/ServiceRegister endpoint.
- B. Configure the service using the /pxgrid/ise/config/profiler endpoint.
- C. Expose the service using the /pxgrid/ise/pubsub endpoint.

Answer: D

NEW QUESTION 25

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

300-735 Practice Exam Features:

- * 300-735 Questions and Answers Updated Frequently
- * 300-735 Practice Questions Verified by Expert Senior Certified Staff
- * 300-735 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 300-735 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 300-735 Practice Test Here](#)