

Exam Questions 300-735

Automating and Programming Cisco Security Solutions (SAUTO)

<https://www.2passeasy.com/dumps/300-735/>



NEW QUESTION 1

DRAG DROP

Drag and drop the code to complete the script to search Cisco ThreatGRID and return all public submission records associated with cisco.com. Not all options are used.

Select and Place:

```
import requests

API_KEY = 'asdf1234asdf1234asdf1234'

QUERY = ' ',

URL = 'https://panacea.threatgrid.com/api/v2/ ' / ' ',

PARAMS={"q":QUERY,"api_key":API_KEY}

request = requests.get(url=URL, params=PARAMS)

print(request.json)
```

submissions	public	query
cisco	search	cisco.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```
import requests

API_KEY = 'asdf1234asdf1234asdf1234'

QUERY = ' cisco.com ',

URL = 'https://panacea.threatgrid.com/api/v2/ search / submissions ',

PARAMS={"q":QUERY,"api_key":API_KEY}

request = requests.get(url=URL, params=PARAMS)

print(request.json)
```

submissions	public	query
cisco	search	cisco.com

NEW QUESTION 2

Refer to the exhibit. A security engineer attempts to query the Cisco Security Management appliance to retrieve details of a specific message. What must be added to the script to achieve the desired result?

- A. Add message ID information to the URL string as a URI.
- B. Run the script and parse through the returned data to find the desired message.
- C. Add message ID information to the URL string as a parameter.
- D. Add message ID information to the headers.

Answer: C

NEW QUESTION 3

When the URI "/api/fmc_config/v1/domain/e276abec-e0f2-11e3-8169-6d9ed49b625f/policy/accesspolicies" is used to make a POST request, what does "e276abec-e0f2-11e3-8169- 6d9ed49b625f" represent?

- A. API token
- B. domain UUID
- C. access policy UUID
- D. object UUID

Answer: B

NEW QUESTION 4

Which snippet is used to create an object for network 10.0.69.0/24 using Cisco Firepower Management Center REST APIs?

- A.

```
- API PATH:
/api/fmc_config/v1/domain/<domain_uuid>/object/networks

- METHOD:
POST

- INPUT JSON:
{
  "type": "Network",
  "value": "10.0.69.0/24",
  "overridable": false,
  "description": " ",
  "name": "Branch_1_net"
}
```

- B.
- ```
- API PATH:
/api/fmc_config/v1/domain/<domain_uuid>/object/networkgroups

- METHOD:
PUT

- INPUT JSON:
{
 "type": "Network",
 "value": "10.0.69.0/24",
 "overridable": false,
 "description": " ",
 "name": "Branch_1_net"
}
```
- C.
- ```
- API PATH:
/api/fmc_config/v1/domain/<domain_uuid>/object/networkgroups

- METHOD:
POST

- INPUT JSON:
{
  "type": "Network",
  "value": "10.0.69.0/24",
  "overridable": false,
  "description": " "
}
```
- D.
- ```
- API PATH:
/api/fmc_config/v1/domain/<domain_uuid>/object/networks

- METHOD:
POST

- INPUT JSON:
{
 "type": "Network",
 "value": "10.0.69.0/24",
 "overridable": false,
 "description": " "
}
```

Answer: A

#### NEW QUESTION 5

For which two programming languages does Cisco offer an SDK for Cisco pxGrid 1.0? (Choose two.)

- A. Python
- B. Perl
- C. Java
- D. C
- E. JavaScript

Answer: CD

#### NEW QUESTION 6

After changes are made to the Cisco Firepower Threat Defense configuration using the Cisco Firepower Device Manager API, what must be done to ensure that

the new policy is activated?

- A. Submit a POST to the /api/fdm/latest/operational/deploy URI.
- B. Submit a GET to the /api/fdm/latest/operational/deploy URI.
- C. Submit a PUT to the /api/fdm/latest/devicesettings/pushpolicy URI.
- D. Submit a POST to the /api/fdm/latest/devicesettings/pushpolicy URI.

Answer: A

#### NEW QUESTION 7

DRAG DROP

```
def query(config, secret, url, payload):
 print('query url=' + url)
 print(' request=' + payload)
 handler = urllib.request.HTTPSHandler(context=config.get_ssl_context())
 opener = urllib.request.build_opener(handler)
 rest_request = urllib.request.Request(url=url, data=str.encode(payload))
 rest_request.add_header('Content-Type', 'application/json')
 rest_request.add_header('Accept', 'application/json')
 b64 = base64.b64encode((config.get_node_name() + ':' + secret).encode()).decode()
 rest_request.add_header('Authorization', 'Basic ' + b64)
 rest_response = opener.open(rest_request)
 print(' response status=' + str(rest_response.getcode()))
 print(' response content=' + rest_response.read().decode())
```

Refer to the exhibit. A Python function named "query" has been developed, and will be used to query the service "com.cisco.ise.session" via Cisco pxGrid 2.0 APIs. Drag and drop the code to construct a Python call to the "query" function to identify the user groups that are associated with the user "fred". Not all options are used. Select and Place:

query (  ,  ,   
 ,  )

"getUserGroupByUserName", "fred"

url

'{ "userName": "fred" }'

secret

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

query ( "getUserGroupByUserName", "fred" , secret ,   
url , '{ "userName": "fred" }' )

"getUserGroupByUserName", "fred"

url

'{ "userName": "fred" }'

secret

#### NEW QUESTION 8

Which curl command lists all tags (host groups) that are associated with a tenant using the Cisco Stealthwatch Enterprise API?

- A. curl -X PUT "Cookie:{Cookie Data}"https://{stealthwatch\_host}/smc-configuration/rest/v1/tenants/{tenant\_id}/tags
- B. curl -X POST -H"Cookie:{Cookie Data}"https://{stealthwatch\_host}/smc-configuration/rest/v1/tenants/tags
- C. curl -X GET -H"Cookie:{Cookie Data}"https://{stealthwatch\_host}/smc-configuration/rest/v1/tenants/{tenant\_id}/tags
- D. curl -X GET -H"Cookie:{Cookie Data}"https://{stealthwatch\_host}/smc- configuration/rest/v1/tenants/tags

Answer: C

#### NEW QUESTION 9

DRAG DROP

A Python script is being developed to return the top 10 identities in an organization that have made a DNS request to "www.cisco.com". Drag and drop the code to complete the Cisco Umbrella Reporting API query to return the top identities. Not all options are used. Select and Place:



```
import requests

URL = 'https://reports.api.umbrella.com/v1/organizations/fe4936f9/
[] / [] / []'

HEADERS = {'Authorization': 'Basic aGVsb29oYXVhYnd5YXNk'}

response = requests.get(URL, headers=HEADERS)
```

security-activity

destinations

activity

www.cisco.com

identities

topIdentities

- A. Mastered  
 B. Not Mastered

Answer: A

Explanation:

```
import requests

URL = 'https://reports.api.umbrella.com/v1/organizations/fe4936f9/
[] destinations / [] www.cisco.com / [] activity'

HEADERS = {'Authorization': 'Basic aGVsb29oYXVhYnd5YXNk'}

response = requests.get(URL, headers=HEADERS)
```

security-activity

destinations

activity

www.cisco.com

identities

topIdentities

#### NEW QUESTION 10

```
import requests

API_KEY = "123456789abcdef"

URL = "https://example.obsrvbl.com/api/v3/alerts/alert/"

HEADERS = {"Authorization": "Bearer {}".format(API_KEY)}

response = requests.get(URL, headers=HEADERS)
```

Refer to the exhibit. A security engineer created a script and successfully executed it to retrieve all currently open alerts. Which print command shows the first returned alert?

- A. `print(response[data][0])`  
 B. `print(response[results][0])`  
 C. `print(response.json()[data][0])`  
 D. `print(response.json()[results][0])`

Answer: A

#### NEW QUESTION 10

Which two statements describe the characteristics of API styles for REST and RPC? (Choose two.)

- A. REST-based APIs function in a similar way to procedures.  
 B. REST-based APIs are used primarily for CRUD operations.  
 C. REST and RPC API styles are the same.  
 D. RPC-based APIs function in a similar way to procedures.  
 E. RPC-based APIs are used primarily for CRUD operations.

Answer: BD

#### NEW QUESTION 14

The Cisco Security Management Appliance API is used to make a GET call using the URI  
 /sma/api/v2.0/reporting/mail\_incoming\_traffic\_summary/detected\_amp?startDate=2016-09-10T19:00:00.000Z&endDate=2018-

0924T23:00:00.000Z&device\_type=esa&device\_name=esa01.  
 What does this GET call return?

- A. values of all counters of a counter group, with the device group name and device type for web
- B. value of a specific counter from a counter group, with the device name and type for email
- C. value of a specific counter from a counter group, with the device name and type for web
- D. values of all counters of a counter group, with the device group name and device type for email

**Answer:** D

#### NEW QUESTION 18

DRAG DROP

Drag and drop the code to complete the Cisco Umbrella Investigate WHOIS query that returns a list of domains that are associated with the email address "admin@example.com". Not all options are used.

Select and Place:

"https://investigate.api.umbrella.com/  /  
 /  "

|                   |        |                     |
|-------------------|--------|---------------------|
| email             | emails | WHOIS               |
| admin@example.com | whois  | {admin@example.com} |

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

"https://investigate.api.umbrella.com/  WHOIS /  
 emails /  admin@example.com "

|                   |        |                     |
|-------------------|--------|---------------------|
| email             | emails | WHOIS               |
| admin@example.com | whois  | {admin@example.com} |

#### NEW QUESTION 20

Which API is used to query if the domain "example.com" has been flagged as malicious by the Cisco Security Labs team?

- A. <https://s-platform.api.opendns.com/1.0/events?example.com>
- B. <https://investigate.api.umbrella.com/domains/categorization/example.com>
- C. <https://investigate.api.umbrella.com/domains/volume/example.com>
- D. <https://s-platform.api.opendns.com/1.0/domains?example.com>

**Answer:** B

#### NEW QUESTION 25

Which snippet describes the way to create an URL object in Cisco FDM using FDM REST APIs with curl?

- A. 

```
curl -X POST --header 'Content-Type: application/json' \
--header 'Authorization: Bearer $Token' \
--header 'Accept: application/json' -d '{ \
 "id": "bfc6j984-9dcf-11e9-a6b5-617eea9159d3", \
 "description": "Google URL", \
 "url": "https://www.google.com", \
 "type": "urlobject" \
}' 'https://198.18.133.8/api/fdm/v1/object/url'
```
- B.

- ```
curl -X POST --header 'Content-Type: application/json' \
--header 'Authorization: Bearer $Token' \
--header 'Accept: application/json' -d '{ \
    "name": "google_url", \
    "description": "Google URL", \
    "url": "https://www.google.com", \
    "type": "urlobject" \
}' 'https://198.18.133.8/api/fdm/v1/object/urls'
```
- C.

```
curl -X POST --header 'Content-Type: application/json' \
--header 'Authorization: Bearer $Token' \
--header 'Accept: application/json' -d '{ \
    "name": "google_url", \
    "description": "Google URL", \
    "url": "https://www.google.com", \
    "type": "networkobject" \
}' 'https://198.18.133.8/api/fdm/v1/object/urls'
```
- D.

```
curl -X POST --header 'Content-Type: application/json' \
--header 'Authorization: Bearer $Token' \
--header 'Accept: application/json' -d '{ \
    "id": "bfc6j984-9dcf-11e9-a6b5-617eea9159d3", \
    "description": "Google URL", \
    "url": "https://www.google.com", \
    "type": "urlobject" \
}' 'https://198.18.133.8/api/fdm/v1/object/urlcategories'
```

Answer: B

NEW QUESTION 26

Refer to the exhibit. A network operator wrote a Python script to retrieve events from Cisco AMP.

```
import requests
CLIENT_ID = 'a1b2c3d4e5f6g7h8i9j0'
API_KEY = 'a1b2c3d4-e5f6-g7h8-i9j0-k112m3n4o5p6'
----MISSING CODE----
URL = BASE_URL+'v1/events'
request = requests.get(url, auth=(amp_client_id, amp_api_key))
```

Against which API gateway must the operator make the request?

- A. BASE_URL = "https://api.amp.cisco.com"
- B. BASE_URL = "https://amp.cisco.com/api"
- C. BASE_URL = "https://amp.cisco.com/api/"
- D. BASE_URL = "https://api.amp.cisco.com/"

Answer: A

NEW QUESTION 27

What is the purpose of the snapshot APIs exposed by Cisco Stealthwatch Cloud?

- A. Report on flow data during a customizable time period.
- B. Operate and return alerts discovered from infrastructure observations.
- C. Return current configuration data of Cisco Stealthwatch Cloud infrastructure.
- D. Create snapshots of supported Cisco Stealthwatch Cloud infrastructure.

Answer: B

NEW QUESTION 31

Which step is required by Cisco pxGrid providers to expose functionality to consumer applications that are written in Python? A. Look up the existing service using the /pxgrid/control/ServiceLookup endpoint.

- A. Register the service using the /pxgrid/control/ServiceRegister endpoint.
- B. Configure the service using the /pxgrid/ise/config/profiler endpoint.

C. Expose the service using the /pxgrid/ise/pubsub endpoint.

Answer: D

NEW QUESTION 35

Which URI string is used to create a policy that takes precedence over other applicable policies that are configured on Cisco Stealthwatch?

- A. /tenants/{tenantId}/policy/system/host-policy
- B. /tenants/{tenantId}/policy/system/role-policy
- C. /tenants/{tenantId}/policy/system
- D. /tenants/{tenantId}/policy/system/{policyId}

Answer: A

NEW QUESTION 37

DRAG DROP

Drag and drop the code to complete the URL for the Cisco AMP for Endpoints API POST request so that it will add a sha256 to a given file_list using file_list_guid.
Select and Place:

https://api.amp.cisco.com/v1

/

/

/

/

files

file_lists

{:sha256}

{:file_list_guid}

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

https://api.amp.cisco.com/v1

/

file_lists

/

{:file_list_guid}

/

files

/

{:sha256}

files

file_lists

{:sha256}

{:file_list_guid}

NEW QUESTION 38

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 300-735 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 300-735 Product From:

<https://www.2passeasy.com/dumps/300-735/>

Money Back Guarantee

300-735 Practice Exam Features:

- * 300-735 Questions and Answers Updated Frequently
- * 300-735 Practice Questions Verified by Expert Senior Certified Staff
- * 300-735 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 300-735 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year