

1Y0-204 Dumps

Citrix Virtual Apps and Desktops 7 Administration

<https://www.certleader.com/1Y0-204-dumps.html>



NEW QUESTION 1

Which Citrix ADC-owned IP address will send traffic from the Citrix ADC to NTP servers by default?

- A. CLIP
- B. VIP
- C. SNIP
- D. NSIP

Answer: D

NEW QUESTION 2

Scenario: A Citrix Administrator created an SSL virtual server using only the following commands:

```
add lb vserver sslvserver SSL 10.102.29.133.444
add service sslsvc1 192.168.0.14 SSL 443
add service sslsvc2 192.168.0.15 SSL 443
bind lb vserver sslvserver sslsvc1
bind lb vserver sslvserver sslsvc2
set ssl vserver sslvserver -ssl3 disabled
```

The SSL virtual server is currently in a DOWN state.

What could be the reason the SSL virtual server is in a down state?

- A. The SSL services are NOT on the 10.102.29.X network.
- B. SSLv3 is disabled.
- C. The virtual server SSL port is NOT set to port 443.
- D. The SSL Certificate is NOT bound to the virtual server.

Answer: D

NEW QUESTION 3

Scenario: A Citrix Administrator previously configured a Citrix Virtual Desktops Site to use evaluation licenses. The administrator then installed valid advanced licenses on the Citrix License Server and confirmed that licenses show correctly in the licensing console. However, a user reports an issue about logging on to the published desktop. The user receives an error message stating that the evaluation license is about to expire.

What should the administrator do to fix this issue?

- A. Restart the License service.
- B. Verify the host name entry in the license file.
- C. Remove the evaluation license.
- D. Change the product edition in Citrix Studio.

Answer: D

NEW QUESTION 4

Scenario: A Citrix Administrator has made changes to the Citrix ADC, deleting parts of the configuration, and then saved the new configurations. The changes caused an outage which needs to be resolved as quickly as possible. There is no Citrix ADC backup.

What does the administrator need to do to recover the configuration quickly?

- A. Restore from revision history.
- B. Restart the Citrix ADC.
- C. Run HA file synchronization.
- D. Run Save v/s Running configuration.

Answer: A

NEW QUESTION 5

Which three statements are correct regarding Citrix printing? (Choose three.)

- A. Citrix printing does NOT assign each printer a unique namespace within a given session.
- B. The Citrix Print Manager Service monitors session events, such as logon and logoffs or session termination.
- C. Citrix printing sets the default security descriptor for auto-created printers to ensure client printer security.
- D. Citrix printing allows administrators, but NOT users, to print to any other users' active session client printers.
- E. The Citrix Print Manager Service handles requests by impersonating the actual session user.

Answer: BCE

NEW QUESTION 6

Scenario: A Citrix Administrator has executed the following command:

```
set cs vserver Vserver-CS-1 -caseSensitive ON
add cs action CS_Act_1 -targetLBVserver MYVPN_http
add cs policy CS_Pol_1 -rule "http.REQ.HOTSNAME.CONTAINS(!"server.citrix.lab!")" -action CS_Act_1
bind cs vserver CS_vserver1 -policyName CS_Pol_1 -priority 100
```

What will be the outcome of this configuration?


- A. The users trying to access HTTP://SERVER.CITRIX.LAB will NOT be connected to the Vserver MYVPN_http.
- B. The users trying to access HTTP://SERVER.CITRIX.LAB will be connected to the Vserver MYVPN_http.
- C. The users trying to access http://server.citrix.lab will be connected to CS Vserver Vserver-CS-1.
- D. The users trying to access HTTP://SERVER.CITRIX.LAB will be connected to CS Vserver Vserver-CS-1.

Answer: B

NEW QUESTION 7

A Citrix Administrator complains that between the two rewrite policies bound to the vserver, only one policy, whichever has lower priority, works. The other policy is never used.

Click the 'Exhibit' button to view the screenshot of the relevant policy binding.



What is the cause of the issue?

- A. The Invoke label is NOT configured.
- B. GotoExpression value for Policy RP_remove_srv_header is configured as 'END'.
- C. The Policy expression of the no_chunk_pol is 'true' and 'NOT HTTP.REQ.IS_VALID'.
- D. The Priority of the no_chunk_pol is a higher numeric value than 100.

Answer: C

NEW QUESTION 8

After creating a new machine catalog using the Machine Creation Services (MCS) wizard in Citrix Studio, a Citrix Administrator determines that Windows activation fails for all new machines in that catalog.

Which two conditions can cause this to happen? (Choose two.)

- A. The base image rearm count has been exceeded.
- B. The Microsoft License Server is unreachable.
- C. The version of Windows installed uses Multiple Activation Key (MAK) licensing.
- D. The version of Windows installed is Windows Server 2012 R2.

Answer: BC

NEW QUESTION 9

A Citrix Administrator needs to match the host name 'www.example.com' in all HTTP requests. Which expression, when used, meets this requirement?

- A. HTTP.REQ.HOSTNAME.EQ("www.example.com")
- B. HTTP.REQ.HOSTNAME("example.com")
- C. HTTP.RES.HOSTNAME.CONTAINS("www.example.com")
- D. HTTP.RES.HOSTNAME.EQ("www.example.com")

Answer: A

NEW QUESTION 10

Which account is used by FlexCast Management Architecture (FMA) services to access the Citrix Virtual Apps and Desktops SQL databases?

- A. Delivery Controller's machine account
- B. Local System account
- C. Network Service account
- D. Domain user account

Answer: A

NEW QUESTION 10

When creating a new Delegated Administrator with a custom scope, a Citrix Administrator notices that the Full Administrator role is NOT available. The administrator is experiencing this behavior because the custom scope . (Choose the correct option to complete the sentence.)

- A. created did NOT contain all the required objects
- B. must use the Read Only role
- C. was created with the hosting object selected
- D. cannot use the Full Administrator role

Answer: D

NEW QUESTION 14

Scenario: A Citrix Administrator currently manages a Citrix ADC environment in a retail company that is growing quickly and may soon double its volume of business. Currently, a Citrix ADC MPX 5550, which handles web and SSL transactions, is in place, but is close to full capacity. Due to the forecasted growth increase, the administrator needs to find a cost effective solution.

What can the administrator recommend to management in order to cost effectively handle the growth?

- A. Another MPX 5550 appliance
- B. Performance hardware upgrade to Citrix ADC SDX 14100
- C. Perform license upgrade to Citrix ADC MPX 5650
- D. Perform hardware upgrade to Citrix ADC MPX 8005

Answer: C

NEW QUESTION 19

Scenario: A Citrix Administrator would like to grant access to a Junior Administrator on the Citrix ADC. The administrator would like to grant full access to everything except the following:

- Shell Access
- User Configuration access
- Partition Configuration access

Which pre-existing command policy would meet the needs of the scenario?

- A. Operator
- B. Sysadmin
- C. Network
- D. Superuser

Answer: A

NEW QUESTION 24

Scenario: A Citrix ADC MPX is using one of four 10G ports available in an environment. A Citrix Administrator found a traffic bottleneck at the Citrix ADC. What can the administrator do to increase bandwidth on the Citrix ADC?

- A. Add another 10G Citrix ADC port to the switch and configure Link Aggregation Control Protocol (LACP).
- B. Purchase another Citrix ADC MPX appliance.
- C. Add two more 10 Citrix ADC ports to the network and configure VLAN.
- D. Plug another 10G Citrix ADC port into the router.

Answer: A

NEW QUESTION 27

Which utility can a Citrix Administrator use to resolve the Domain Name System (DNS) request being looked up frequently?

- A. nslookup
- B. dig +trace
- C. curl -K -d
- D. ping

Answer: B

Explanation:

<https://www.citrix.com/blogs/2019/05/31/dig-into-gslb-dns-problems-with-citrix-adc-no-shovel-required/>

NEW QUESTION 28

Scenario: A Citrix Administrator would like to better monitor traffic within the Citrix Gateway and Citrix Virtual Apps and Desktops Site. The administrator decides to implement the Citrix Application Delivery Management appliance for use with Citrix Director.

Which three additional pieces of infrastructure information can the administrator now review within Citrix Director? (Choose three.)

- A. Latency and bandwidth effects for applications and desktops.
- B. Peak Connected Sessions information for specific user sessions.
- C. Latency and bandwidth information for specific user sessions.
- D. Average ICA round trip time for specific user sessions.
- E. Peak Concurrent Total Sessions for specific applications and desktops.

Answer: CDE

NEW QUESTION 33

Scenario: A Citrix Administrator is required to maximize the usage of the Citrix Virtual Apps and Desktops Site by enabling users to access the Site from external devices and reducing the cost and the effort required to maintain the infrastructure. The desktops for the users are provisioned using Citrix Provisioning. Which set of resources will enable the administrator to achieve the objective?

- A. Citrix Virtual Apps and Desktops service, Citrix Gateway service, on-premises resources
- B. Citrix Virtual Apps and Desktops service, Citrix Gateway, public cloud
- C. Citrix Virtual Apps and Desktops service, Citrix Gateway, on-premises resources
- D. Citrix Virtual Apps and Desktops service, Citrix Gateway service, public cloud

Answer: A

NEW QUESTION 36

Which qualifier is used to configure the Content filter action to modify the HTTP header of an HTTP Request?

- A. Corrupt
- B. Forward
- C. Add
- D. Error Code

Answer: A

NEW QUESTION 38

Scenario: A Citrix Administrator needs to power-manage a group of Server OS Virtual Delivery Agent (VDA) machines that are all in the same Delivery Group. The administrator needs all the machines to be restarted once a week during the weekend. Additionally, a subset of the machines should be restarted every day during non-peak hours.

Which feature must the administrator change from the default values in order to fulfill the requirements?

- A. Restart duration
- B. Weekday and weekend hours
- C. Peak and non-peak hours
- D. Tag restrictions

Answer: D

NEW QUESTION 43

Which port does a Citrix Administrator need to open for Cloud Connector to communicate with the internet?

- A. 80
- B. 3389
- C. 8080
- D. 443

Answer: D

NEW QUESTION 45

Which console can a Citrix Administrator use to provide customized permissions to a junior administrator for adding applications?

- A. Citrix Studio
- B. StoreFront
- C. Citrix Director
- D. Citrix Application Delivery Management

Answer: A

NEW QUESTION 50

A Citrix Administrator has executed the commands in the screenshot on the Citrix ADC using the command-line interface. Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>
> add transform profile prof_url_change
Done
> add transform action "URL change" prof_url_change 10
Done
> set transform action "URL change" -priority 10 -reqUrlFrom "https://*" -reqUrlInto
"http://*" -resUrlFrom "http://*" -resUrlInto "https://*"
Done
> add transform policy pol_url_change true prof_url_change
Done
> bind lb vserver LB_vserver -policyName pol_url_change -priority 100 -
gotoPriorityExpression END -type REQUEST
```

Which two replacements will be the outcome of executing these commands? (Choose two.)

- A. https:// will be replaced by http:// in the HTTP REQUEST
- B. http:// will be replaced by https:// in the HTTP REQUEST
- C. http:// will be replaced by https:// in the HTTP RESPONSE
- D. https:// will be replaced by http:// in the HTTP RESPONSE

Answer: AD

NEW QUESTION 52

Scenario: A Citrix Administrator is in the process of migrating the existing 7.15 LTSR Virtual Delivery Agent (VDA) machines used on premises to Citrix Cloud. The administrator has created a new manual machine catalog and Delivery Group in Citrix Cloud and pointed to the existing Device Collection in Citrix Provisioning. The administrator also restarted the VDA machines.

What could prevent the VDA machines from registering in Citrix Cloud?

- A. The VDA master image was NOT updated to communicate with the Cloud Connectors.
- B. One of the two Cloud Connectors is down and unresponsive.
- C. The Citrix policies have NOT been migrated to Citrix Cloud.
- D. The VDA on the master image has NOT been updated to a later version.

Answer: A

NEW QUESTION 56

Scenario: A Citrix ADC receives packets that are destined for a MAC address owned by the Citrix ADC. The destination IP address of the packets does NOT belong to the Citrix ADC. Layer 3 Mode is enabled by default on the Citrix ADC.

What will the Citrix ADC do with the packets in this scenario?

- A. Drop the packets
- B. Bridge the packets.
- C. Route the packets.
- D. Process the packets.

Answer: C

NEW QUESTION 60

Scenario: A Citrix Administrator configures the 'Auto connect client drives' user settings to map client drives within the HDX session for all published desktops. The setting is configured in a Baseline Group Policy Object (GPO) and linked to an Organizational Unit (OU) that contains all of the published desktops.

When a user launches the desktop, client drives are NOT mapped. What is a possible reason?

- A. gpupdate /force needs to be executed on all of the machines.
- B. Loopback processing is NOT enabled.
- C. The GPO needs to be linked to the User OU.
- D. Desktops need to be restarted for the policy to be applied.

Answer: B

NEW QUESTION 65

Scenario: A Citrix Administrator has received user complaints about issues connecting to the domain through the Citrix ADC using AAA. The administrator investigated the issue and found that the domain session cookie that was used during authentication is failing due to resolution issues.

What can the administrator do to fix the issue?

- A. Configure DNS to assign authentication and traffic management virtual servers to FQDNs in the domain.
- B. Configure FQDNs for the Session Cookies in the domain.
- C. Change the Session Cookie timeout in DNS.
- D. Configure DNS to assign an FQDN for the Citrix ADC in the domain.

Answer: A

NEW QUESTION 66

Which Front-End Optimization (FEO) action can a Citrix Administrator use to achieve the results shown in the screenshots?
Click the Exhibit button to view the screenshots.

```

<html>
  <head>
  </head>
  <body>
    <script src="abc.js" type="text/javascript"></script>
    <div class="monday tuesday">
      Hi!
    </div>
    <style type="text/css">
      .foo {day : wednesday; }
    </style>
    <link rel="stylesheet" type="text/css" href="styles/all_styles/css">
  </body>
</html>

<html>
  <head>
    <style type="text/css">
      .foo { day: wednesday; }
    </style>
  </head>
  <body>
    <script src="abc.js" type="text/javascript"></script>
    <div class="monday tuesday">
      Hi!
    </div>
    <link rel="stylesheet" type="text/css" href="styles/all_styles.css">
  </body>
</html>

```

- A. Truncate CSS
- B. Inline CSS
- C. Move CSS to head
- D. Rearrange CSS

Answer: B

NEW QUESTION 69

Which Citrix Profile Management feature maintains a backup of the NTUSER.DAT file?

- A. Active Write Back
- B. Profile Caching
- C. Profile Streaming
- D. Profile Protection

Answer: D

NEW QUESTION 74

Scenario: A Citrix Administrator needs to review the current state of specific machine sessions and application instances that are running in a Citrix Virtual Apps and Desktops Site. The administrator also needs to power-manage sessions. The Site is a premium licensed Site. Where should the administrator navigate to within Citrix Director to obtain this information?

- A. Filters
- B. Trends
- C. Dashboard
- D. Alerts

Answer: A

NEW QUESTION 75

A Citrix Administrator is configuring a Citrix ADC high availability (HA) pair and needs to ensure that one Citrix ADC is UP and primary at all times to ensure the business websites are always available.

What does the administrator need to do to ensure that the Citrix ADCs still handle web traffic in the event that both nodes become unavailable or fail a health check?

- A. Disable HA Fail-safe mode on the Primary Citrix ADC only.
- B. Configure HA Fail-safe mode on each Citrix ADC independently.
- C. Configure HA Fail-safe mode on the Primary Citrix ADC only.
- D. Disable HA Fail-safe mode on the Secondary Citrix ADC.

Answer: B

NEW QUESTION 77

Which step does a Citrix Administrator need to take to enable Citrix XML Service trust for user access within a Citrix Virtual Apps and Desktops infrastructure?

- A. Enable XML Service trust using the StoreFront console.
- B. Run the Set-BrokerSite -TrustRequestsSentToTheXMLServicePort \$true PowerShell command from within a Virtual Delivery Agent (VDA) machine.
- C. Run the Set-BrokerSite -TrustRequestsSentToTheXMLServicePort \$true PowerShell command from within a Controller.
- D. Configure the appropriate XML Service trust settings using HDX policy within Citrix Studio.

Answer: C

NEW QUESTION 82

Which three database high availability features are supported for on-premises deployments of Citrix Virtual Apps and Desktops? (Choose three.)

- A. Always On Availability Groups
- B. Automatic Storage Management
- C. Mirroring
- D. Clustered Instances
- E. Flashback

Answer: ACD

NEW QUESTION 86

Scenario: A Citrix Administrator is configuring the Workspace Experience to provide users with access to their applications and desktops. The administrator deployed Microsoft Azure Active Directory (AD) already and wants to leverage it to support user access to the Workspace Experience.

Which two steps does the administrator need to take to enable users to authenticate using Azure AD to the Workspace Experience? (Choose two.)

- A. Add Cloud Connector information to the Azure AD console.
- B. Enable Azure AD authentication under Workspace Configuration in Citrix Cloud.
- C. Add Azure AD Account under Identity Providers in Citrix Cloud.
- D. Deploy Cloud Connectors to support Azure AD authentication.

Answer: BC

NEW QUESTION 88

Scenario: A Citrix Administrator configured the "-denySSLReneg" Parameter using the below command on Citrix ADC to enhance security.

```
set ssl parameter -denySSLReneg <option>
```

Which two options can the administrator use to complete the command? (Choose two.)

- A. NONSECURE
- B. HIGHSECURE
- C. FRONTEND_CLIENT
- D. NO
- E. ALL

Answer: AC

NEW QUESTION 90

Which tool should a Citrix Administrator use when a user reports "event ID 1022: The Citrix Desktop Service Failed to register with any controller"?

- A. HDX Monitor
- B. VDA Cleanup Utility
- C. Citrix Scout
- D. Citrix Health Assistant

Answer: D

NEW QUESTION 92

Scenario: A Citrix Administrator needs to deploy 300 virtual Windows 10 desktops in an environment. The deployment should have a low impact on the existing network infrastructure. The environment also requires user-installed applications and persistency.

Which Citrix technology can the administrator use to provision the desktops?

- A. Citrix Provisioning
- B. Existing Machines

- C. Machine Creation Services
- D. Manual Provisioning

Answer: C

NEW QUESTION 93

Scenario: A Citrix Administrator has enabled an HDX Session printers policy within a Citrix Virtual Apps and Desktops Site. The administrator added a printer to a print server and assigned the printer to all users through a session printer policy. In addition, several local client printers are auto-created within HDX sessions. No other printing policies are configured.

How will print jobs be routed when users send print jobs to a printer managed by the print server?

- A. Directly to the network print server and then to the specified printer.
- B. Over the HDX virtual channel to the specified printer attached to the print server.
- C. Directly from the session Virtual Delivery Agent (VDA) machine to the printer.
- D. Over the HDX virtual channel, through the endpoint, and then to the print server.

Answer: A

NEW QUESTION 95

Scenario: A Citrix Administrator is configuring load balancing on a Citrix ADC appliance for the company web servers. The administrator needs to create a custom monitor that will look for a specific keyword response from the website and will be used to keep the services in an UP state.

Which type of monitor can the administrator create to accomplish this scenario?

- A. HTTP-ECV monitor with the keyword in the Special Parameters – Receive String field.
- B. A HTTP monitor with the keyword in the Special Parameters – Response Codes field.
- C. A TCP monitor with the keyword in the Special Parameters – Response Code field.
- D. An UDP-ECV monitor with the keyword in the Special Parameters – Receive String field.

Answer: A

NEW QUESTION 100

Which three policy settings can a Citrix Administrator configure to improve HDX session performance for high-latency, low bandwidth user connections? (Choose three.)

- A. Maximum number of sessions
- B. View window contents while dragging
- C. CPU usage
- D. Target frame rate and color depth
- E. Limit video quality
- F. Application launch wait timeout

Answer: BDE

NEW QUESTION 105

Scenario: A Citrix Administrator has received complaints from published application users. They report that it takes a long time to relaunch an application after they close it by mistake.

The administrator needs a solution that will reduce application launch times in these situations. Which feature should the administrator enable?

- A. Session Sharing
- B. Session Reliability
- C. Application Lingering
- D. Application Prelaunch

Answer: D

NEW QUESTION 109

Scenario: A Citrix Administrator has configured an Authentication, Authorization, and Auditing (AAA) action policy to allow users access through the Citrix ADC. The Administrator bound the policy to a specific vServer.

Which policy expression will allow all users access through the vServer?

- A. ns_disallow
- B. ns_false
- C. ns_true
- D. ns_allow

Answer: D

NEW QUESTION 111

Which three methods can a Citrix Administrator choose from when creating a Featured App Group for a set of applications? (Choose three.)

- A. Application names
- B. Installed locally
- C. Keyword
- D. Application category
- E. Delivery Group

Answer: ACD

Explanation:

You can create product featured app groups for your end users that are related to or fit in a specific category. For example, you can create a Sales Department featured app group containing applications that are used by that department. You can define featured apps in the StoreFront administration console by using application names or by using keywords or application categories that were defined in the Studio console.

NEW QUESTION 115

Scenario: A Citrix Administrator needs to create local user accounts for other administrators with limited privileges. The other administrators will need only:

- > Read-only access
- > The ability to enable and disable services and servers

Which built-in Command Policy permission level can the administrator use?

- A. Network
- B. Read-Only
- C. Operator
- D. Sysadmin

Answer: C

NEW QUESTION 119

Scenario: A Citrix ADC is configured with Interface 1/1 and bound to VLAN 40. A Citrix Administrator has executed the following command: bind vlan 20 -ifnum 1/1
What is the result of executing the command on the Citrix ADC?

- A. Interface 1/1 is bound to VLAN 20, and native VLAN is 1.
- B. Interface 1/1 is bound to VLAN 20, and native VLAN is 40.
- C. Interface 1/1 is bound to VLAN 20, and native VLAN is NOT changed.
- D. Interface 1/1 is bound to VLAN 20, and native VLAN is 20.

Answer: B

NEW QUESTION 123

Which two features within Citrix Director can a Citrix Administrator use to view historical resource utilization for a machine running the Virtual Delivery Agent (VDA)? (Choose two.)

- A. Alerts
- B. Dashboard
- C. Applications
- D. Search
- E. Trends

Answer: CE

NEW QUESTION 128

Scenario: A Citrix Administrator needs to ensure that a user request is redirected to the next available data center in order to ensure the best user experience based upon location.

Below are the Global Server Load Balancing (GSLB) vserver settings:

```
sh gslb vserver gslb.outscale.cloud
gslb.outscale.cloud-SSL    State: UP
DNS Record Type: A
Last state changed was at Tue May 16 23:47:54 2017
Time since last state change: 16 days, 16:13:23.390
Configured Method: RTT
BackupMethod: LEASTCONNECTION
No. of Bound Services: 2(Total)  1(Active)
Persistence: NONE
Disable Primary Vserver on Down: DISABLED
Site Persistence: ConnectionProxy
```

To which setting should the administrator change the configured method?

- A. StaticProximity
- B. RoundRobin
- C. LeastConnection
- D. LeastBandwidth

Answer: C

NEW QUESTION 129

How can a Citrix Administrator enable the ability to monitor application failures for Desktop OS machines running the Virtual Delivery Agent (VDA)?

- A. By installing an Application Probe Agent on the Desktop OS VDA machines
- B. By entering a PowerShell command on a Delivery Controller
- C. By upgrading to premium licenses
- D. By configuring a Citrix policy

Answer: B

NEW QUESTION 132

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1Y0-204 Exam with Our Prep Materials Via below:

<https://www.certleader.com/1Y0-204-dumps.html>