

LPI

Exam Questions 201-450

LPIC-2 Exam 201 Part 1 of 2 version 4.5



NEW QUESTION 1

In the following output from top, which processes contribute to the percentage of time that the CPU spends in the state of wa?

Tasks: 193 total, 1 running, 190 sleeping, 2 stopped, 0 zombie

Cpu(s): 0.5%us, 0.3%sy, 0.0%ni, 98.2%id, 1.0%wa, 0.0%hi, 0.0%si, 0.0%st

- A. Processes waiting for user interaction.
- B. Processes that were already closed and are waiting to be launched again.
- C. Processes that have not been scheduled yet because they haven't been fully loaded into RAM or are in swap.
- D. Processes waiting for IO operations to complete.

Answer: D

NEW QUESTION 2

Which of the following is a side effect of extensive usage of swap space?

- A. The root filesystem may become full because swap space is always located on the system root partition.
- B. The overall system performance may degrade because of heavy hard disk use and memory reorganization.
- C. Since processes always exist completely in either RAM or swap, regular RAM may become unused if the kernel does not move processes back from the swap space to memory.
- D. The memory may become fragmented and slow down the access to memory page
- E. However, this can be kept to a minimum by the regular use of memfrag -d.
- F. Applications need to restart because their virtual memory addresses change to reflect memory relocation to the swap address area.

Answer: B

NEW QUESTION 3

What mechanism does collectd use to gather monitoring information on systems?

- A. It uses a library of plugins.
- B. A master server connects to a collectd service on each machine to retrieve the information.
- C. It collects its own information on each server and sends that to a master server.
- D. It makes SNMP queries to the clients being monitored.

Answer: A

NEW QUESTION 4

Which of the following commands will provide the PIDs of the processes sorted by which are using the most CPU cycles on the Linux system?

- A. top
- B. uptime
- C. ps aux
- D. vmstat
- E. freemem

Answer: A

NEW QUESTION 5

In the below example output, which columns detail the percent of time the CPU spent running non-kernel code and the percent of time the CPU spent running kernel code? (Choose TWO correct answers.)

```
# vmstat 1 100
```

```
procs -----memory----- ---swap-- ----io---- --system-- ----cpu----
```

```
r b swpd free buff cache si so bi bo in cs us sy id wa
```

```
0 0 0 282120 134108 5797012 0 0 0 2 0 0 0 100 0
```

```
0 0 0 282120 134108 5797012 0 0 0 0 1007 359 0 0 100 0
```

```
0 0 0 282120 134108 5797012 0 0 0 0 1117 577 0 0 100 0
```

```
0 0 0 282120 134108 5797012 0 0 0 0 1007 366 0 0 100 0
```

- A. id
- B. us
- C. wa
- D. sy

Answer: BD

NEW QUESTION 6

What option in the collectd configuration file is required in order to define what to start monitoring?

- A. LoadModule
- B. Module
- C. Plugin
- D. LoadPlugin

Answer: D

NEW QUESTION 7

In the following output, what is the 5 minute load average for the system?

```
# uptime
```

```
12:10:05 up 18 days, 19:00, 2 users, load average: 0.47, 24.71, 35.31
```

- A. 0.47
- B. 24.71
- C. 35.31
- D. There is no 5 minute interval
- E. It is some value between 0.47 and 24.71.
- F. There is no 5 minute interval
- G. It is some value between 24.71 and 35.31.

Answer: B

NEW QUESTION 8

Which commands are used to load modules into the Linux kernel? (Choose TWO correct answers.)

- A. insmod
- B. loadmod
- C. kernload
- D. modprobe
- E. probemod

Answer: AD

NEW QUESTION 9

A database application requires a maximum shared memory segment (shmmax) of 2GB (2147483648 Bytes). Which configuration file should be modified to set this kernel parameter permanently? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/sysctl.conf

NEW QUESTION 10

According to the Filesystem Hierarchy Standard (FHS), what is the path to the Linux kernel source and may be a symbolic link to the real Linux source code? (Please specify the full path with no version information.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/usr/src/linux, /usr/src/linux/

NEW QUESTION 10

What is a key difference between a zImage and bzImage kernel image?

- A. zImage is compressed using gzip, bzImage is compressed using bzip2.
- B. zImage is for 2.6 series kernels, bzImage is for 3.x series kernels.
- C. zImage is limited to 64k, bzImage has no such restriction.
- D. zImage gets loaded completely into low memory
- E. bzImage will load into high memory once low memory is full.

Answer: D

NEW QUESTION 11

After configuring a new kernel, what file under /usr/src/linux/ contains the configuration?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/usr/src/linux/.config, .config

NEW QUESTION 15

Which archive format is used to create an initramfs image?

- A. gzip
- B. tar

- C. RAR
- D. cpio
- E. bzip2

Answer: D

NEW QUESTION 16

What is the full path to the directory which contains the scripts (or links to the original scripts) to run while the system boots to SysV-init runlevel 2?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/rc2.d, /etc/rc2.d/, /etc/init.d/rc2.d, /etc/init.d/rc2.d/

NEW QUESTION 18

A system with SysV-init has a service installed called apache2. Which file controls the start and stop of this service and is referenced by the various runlevel directories?

- A. /etc/init.d/apache2
- B. /etc/rc2.d/70apache2
- C. /etc/rc2.d/apache2
- D. /etc/rc2.d/apache2.start

Answer: A

NEW QUESTION 20

During booting, when the Linux kernel loads an initramfs file, which command from the initramfs will be executed first, if present?

- A. /init
- B. /initrd
- C. /linuxrc
- D. /rc.local
- E. /sbin/init

Answer: A

NEW QUESTION 24

How can the label root be added to the ext2 filesystem on /dev/sda1?

- A. relabel /dev/sda1 root
- B. tune2fs -L root /dev/sda1
- C. echo 'root' > /proc/fs/sda1/label
- D. labelfs --device /dev/sda1 root

Answer: B

NEW QUESTION 25

What is the main template file used by autofs?

- A. default.maps
- B. auto.conf
- C. auto.master
- D. autofs.master

Answer: C

NEW QUESTION 29

What does a 0 in the last field (fsck order) of /etc/fstab indicate about the filesystem?

- A. The filesystem should be checked before filesystems with higher values.
- B. The filesystem should be checked after filesystems with higher values.
- C. The filesystem check counter is ignored.
- D. The filesystem has been disabled from being checked and mounted on the system.
- E. The filesystem does not require an fsck check when being mounted.

Answer: E

NEW QUESTION 30

Which of the following is a CD-ROM filesystem standard?

- A. OSI9660
- B. ISO9660

- C. SR0FS
- D. ISO8859
- E. ROM-EO

Answer: B

NEW QUESTION 33

Consider the following /etc/fstab file:

```
/dev/hda1 swap swap defaults 0 0
/dev/hda2 / ext2 defaults 1 1
/dev/hda3 /home ext2 defaults 1 2
none /proc proc defaults 0 0
/dev/sdb1 /media/usb0 vfat user,noauto 0 0
```

What is one of the possible commands that an ordinary (non-root) user can use to mount the /dev/sdb1 partition on the /media/usb0 mount point? (Please enter the command with all parameters and/or options but without any file system type options.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mount /dev/sdb1, mount /media/usb0, /bin/mount /dev/sdb1, /bin/mount /media/usb0, mount /media/usb0/, /bin/mount /media/usb0/

NEW QUESTION 35

What is the minimum number of disks required in a fully redundant RAID5 array?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Answer: C

NEW QUESTION 37

Which directory in /dev/disk/ can be used to determine the UUID of a connected hard disk?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/dev/disk/by-uuid, by-uuid, /dev/disk/by-uuid/

NEW QUESTION 40

Due to extreme system use, a Linux system requires some additional swap space. To initialize 5GB of additional swap space, which combination of commands should be used?

- A. dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile; mount /tmp/swapfile
- B. dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; swapon /tmp/swapfile
- C. dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile; swapon/tmp/swapfile
- D. touch -5G /tmp/swapfile; swapon /tmp/swapfile
- E. mkswap /tmp/swapfile 512000; swapon /tmp/swapfile

Answer: C

NEW QUESTION 42

Which of the following is an example path to a Linux software RAID array?

- A. /dev/raid0
- B. /dev/rd1
- C. /dev/pr0
- D. /dev/md1

Answer: D

NEW QUESTION 45

What command will remove a physical volume from a volume group? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

vgreduce, /sbin/vgreduce

NEW QUESTION 50

Which single command will simulate a failed device within a RAID 5 array?

- A. mdadm --remove /dev/md0 /dev/sdd1
- B. mdadm --zero-superblock /dev/sdf3
- C. mdadm --force-fault /dev/md2 /dev/sde2
- D. mdadm --fail /dev/md0 /dev/sdc1
- E. mdadm /dev/md0 --offline /dev/sdc1

Answer: D

NEW QUESTION 54

Which RAID level value must be used with Linux software RAID in order to create an array of mirrored devices?

- A. 1
- B. 5
- C. 6
- D. container
- E. mirrorstripe

Answer: A

NEW QUESTION 56

Which of the following commands can be used to script interactions with various TCP or UDP services?

- A. ftp
- B. nc
- C. tcpdump
- D. strings
- E. wget

Answer: B

NEW QUESTION 59

A correctly formatted entry has been added to /etc/hosts.deny to prevent certain clients from connecting to a service but this is having no effect. What could be the cause of this? (Choose TWO correct answers.)

- A. tcpd needs to be sent the HUP signal.
- B. The service needs to be restarted.
- C. The machine needs to be restarted.
- D. There is a conflicting entry in /etc/hosts.allow.
- E. The service does not support tcpwrapper.

Answer: DE

NEW QUESTION 62

Which of the following filter keywords for tcpdump specify the transfer direction for network packets? (Choose TWO correct answers.)

- A. source
- B. src
- C. dest
- D. src or dst
- E. both

Answer: BD

NEW QUESTION 63

Which /etc/hosts.allow entries will permit access to sshd for users from the 192.168.1.0/24 subnet? (Choose TWO correct answers.)

- A. sshd : 192.168.1.
- B. sshd : 192.168.1
- C. sshd : 192.168.1.0 netmask 255.255.255.0
- D. sshd : 192.168.1.0/255.255.255.0
- E. sshd : 192.168.1.0

Answer: AD

NEW QUESTION 64

Which of the following commands can be used to list IPv4 addresses and MAC addresses for IP devices that the system has seen on the local network?

- A. arp
- B. ifconfig

- C. ipadm
- D. iwlist

Answer: A

NEW QUESTION 65

Which of the following are common backup systems used in Linux? (Choose TWO correct answers.)

- A. Amanda
- B. Bacula
- C. DrBackup
- D. BREWBackup
- E. SARcheck

Answer: AB

NEW QUESTION 67

When a makefile is included in a source code package, what are commonly defined targets in the file?

- A. CFLAGS, CPPFLAGS, LIBS, LDFLAGS
- B. clean, install, uninstall
- C. PATHS, DESTDIR, LIBS, LDFLAGS
- D. prefix, exec_prefix, bindir, mandir

Answer: B

NEW QUESTION 72

Which of the following files will be looked for and used by GNU make, if one of them exists, unless a different file is specified on the command line when trying to compile software from source code? (Choose TWO correct answers.)

- A. configure
- B. config.h.in
- C. makefile
- D. Makefile
- E. Makefile.in

Answer: CD

NEW QUESTION 73

What command discards unused blocks on a mounted file system in order to support SSD devices? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

fstrim

NEW QUESTION 77

Which of the following commands lists IPv4 addresses and MAC addresses of network nodes that the local system has seen on its directly connected IP networks?

- A. arp
- B. ifconfig
- C. ipadm
- D. iwlist

Answer: A

NEW QUESTION 80

Which of the following properties should be recorded in order to monitor the quality of a network link? (Choose two.)

- A. Bandwidth in both directions
- B. Number of nodes using the link
- C. Effective Latency
- D. Number of IPv4 and IPv6 packets
- E. Number of used TCP ports

Answer: AC

NEW QUESTION 82

What command ensures that the file systems are written to disk after a lot of write operations? (Specify ONLY the command without any path or parameters.)

- A. Mastered

B. Not Mastered

Answer: A

Explanation:
sync

NEW QUESTION 86

What effect does the `-f` option to the `update-rc.d` command have on files in the `/etc/rcX.d/` and `/etc/init.d/` directories?

- A. It will force the removal of the symlinks in `/etc/rcX.d/` even when the links are read only
- B. It will remove both the symlinks in `/etc/rcX.d/` and the init script in `/etc/init.d/`
- C. It will remove the init script in `/etc/init.d/` and the symlinks in `/etc/rcX.d/` and update the package information of installed files
- D. It will force the removal of symlinks in `/etc/rcX.d/` even if the corresponding init script still exists in `/etc/init.d/`

Answer: D

NEW QUESTION 89

Which of the following configuration files are used by `tcpwrapper`?

- A. `/etc/tcpd.allow` and `etc/tcpd.deny`
- B. `/etc/tcpwrapper.allow` and `/etc/tcpwrapper.deny`
- C. `/etc/hosts.allow` and `/etc/hosts.deny`
- D. `/etc/service.allow` and `/etc/service.deny`

Answer: C

NEW QUESTION 90

On a Linux node with multiple active networks interfaces, each having a default route to the Internet, which default route is preferred?

- A. The default route with the highest metric value
- B. The default route with the highest MTU value
- C. The default route with the lowest TTL value
- D. The default route with the highest TTL value
- E. The default route with the lowest metric value

Answer: E

NEW QUESTION 91

Which of the filter keywords below could be used in the following command:
`tcpdump -i eth0 _____ 203.0.113.8` (Choose three.)

- A. `host`
- B. `ip`
- C. `src`
- D. `dst`
- E. `ipv6`

Answer: ACD

NEW QUESTION 92

Which of the following init systems comes along with an own UEFI boot loader?

- A. `systemd`
- B. `SysVinit`
- C. `Upstart`
- D. `OpenRC`
- E. `launchd`

Answer: A

NEW QUESTION 96

In which directory tree are files modified when changing kernel parameters using the command `sysctl`?

- A. `/sys/kernel/`
- B. `/proc/kernel/`
- C. `/proc/sys/`
- D. `/lib/sys/`
- E. `/sys/proc/`

Answer: C

NEW QUESTION 99

Which directory contains system-specific `systemd` unit files? (Specify the full path to the directory.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
/lib/systemd/system

NEW QUESTION 103

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

201-450 Practice Exam Features:

- * 201-450 Questions and Answers Updated Frequently
- * 201-450 Practice Questions Verified by Expert Senior Certified Staff
- * 201-450 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 201-450 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 201-450 Practice Test Here](#)