

## MS-500 Dumps

### Microsoft 365 Security Administrator

<https://www.certleader.com/MS-500-dumps.html>



### NEW QUESTION 1

Which IP address space should you include in the MFA configuration?

- A. 131.107.83.0/28
- B. 192.168.16.0/20
- C. 172.16.0.0/24
- D. 192.168.0.0/20

**Answer: B**

### NEW QUESTION 2

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription that is associated to a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com.

You use Active Directory Federation Services (AD FS) to federate on-premises Active Directory and the tenant. Azure AD Connect has the following settings:

- Source Anchor: objectGUID
- Password Hash Synchronization: Disabled
- Password writeback: Disabled
- Directory extension attribute sync: Disabled
- Azure AD app and attribute filtering: Disabled
- Exchange hybrid deployment: Disabled
- User writeback: Disabled

You need to ensure that you can use leaked credentials detection in Azure AD Identity Protection. Solution: You modify the Azure AD app and attribute filtering settings.

Does that meet the goal?


- A. Yes
- B. No

**Answer: B**

### NEW QUESTION 3

#### HOTSPOT

You configure Microsoft Azure Active Directory (Azure AD) Connect as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

If you reset a password in Azure AD, the password will [answer choice] .

be overwritten	V
be synced to Active Directory	
be subject to the Active Directory password policy	

If you join a computer to Azure AD,[answer choice].

an object will be provisioned in the Computers container	V
an object will be provisioned in the RegisteredDevices container	
the device object in Azure will be deleted during synchronization	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-device-writeback>

#### NEW QUESTION 4

You have a Microsoft 365 subscription.

From the Microsoft 365 admin center, you create a new user. You plan to assign the Reports reader role to the user.

You need to see the permissions of the Reports reader role. Which admin center should you use?

- A. Azure Active Directory
- B. Cloud App Security
- C. Security & Compliance
- D. Microsoft 365

**Answer:** A

#### NEW QUESTION 5

You have a Microsoft 365 subscription.

You need to ensure that all users who are assigned the Exchange administrator role have multi-factor authentication (MFA) enabled by default.

What should you use to achieve the goal?

- A. Security & Compliance permissions
- B. Microsoft Azure Active Directory (Azure AD) Privileged Identity Management
- C. Microsoft Azure AD group management
- D. Microsoft Office 365 user management

**Answer:** B

#### NEW QUESTION 6

You configure several Advanced Threat Protection (ATP) policies in a Microsoft 365 subscription. You need to allow a user named User1 to view ATP reports in the Threat management dashboard. Which role provides User1 with the required role permissions?

- A. Security reader
- B. Message center reader
- C. Compliance administrator
- D. Information Protection administrator

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/view-reports-for-atp#what-permissions-areneeded-to-view-the-atp-reports>

#### NEW QUESTION 7

You have a Microsoft 365 Enterprise E5 subscription.

You use Windows Defender Advanced Threat Protection (Windows Defender ATP). You plan to use Microsoft Office 365 Attack simulator.

What is a prerequisite for running Attack simulator?

- A. Enable multi-factor authentication (MFA)
- B. Configure Advanced Threat Protection (ATP)
- C. Create a Conditional Access App Control policy for accessing Office 365
- D. Integrate Office 365 Threat Intelligence and Windows Defender ATP

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/attack-simulator>

**NEW QUESTION 8**

You have a Microsoft 365 subscription.

You create an Advanced Threat Protection (ATP) safe attachments policy to quarantine malware. You need to configure the retention duration for the attachments in quarantine.

Which type of threat management policy should you create from the Security&Compliance admin center?

- A. ATP anti-phishing
- B. DKIM
- C. Anti-spam
- D. Anti-malware

**Answer:** D

**NEW QUESTION 9**

HOTSPOT

You have the Microsoft conditions shown in the following table.

Name	Pattern	Case sensitivity
Condition1	Product1	Off
Condition2	Product2	On

You have the Azure Information Protection labels shown in the following table.

Name	Use condition	Label is applied
Label1	Condition1	Automatically
Label2	Condition2	Automatically

You have the Azure Information Protection policies shown in the following table.

Name	Applies to	Use label	Set the default label
Global	<i>Not applicable</i>	<i>None</i>	None
Policy1	User1	Label1	None
Policy2	User2	Label2	None

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statements	Yes	No
If a user types "Product1 and Product2" in a document and saves the document in Microsoft Word, the document will be assigned Label1 sensitivity automatically.	<input type="radio"/>	<input type="radio"/>
If a user types "Product2 and Product1" in a document and saves the document in Microsoft Word, the document will be assigned Label2 sensitivity automatically.	<input type="radio"/>	<input type="radio"/>
If a user types "product2" in a document and save the document in Microsoft Word, the document will be assigned Label2 sensitivity automatically.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Statements	Yes	No
If a user types "Product1 and Product2" in a document and saves the document in Microsoft Word, the document will be assigned Label1 sensitivity automatically.	<input type="radio"/>	<input checked="" type="radio"/>
If a user types "Product2 and Product1" in a document and saves the document in Microsoft Word, the document will be assigned Label2 sensitivity automatically.	<input checked="" type="radio"/>	<input type="radio"/>
If a user types "product2" in a document and save the document in Microsoft Word, the document will be assigned Label2 sensitivity automatically.	<input type="radio"/>	<input checked="" type="radio"/>



## NEW QUESTION 10

### HOTSPOT

Your company has a Microsoft 365 subscription, a Microsoft Azure subscription, and an Azure Active Directory (Azure AD) tenant named contoso.com. The company has the offices shown in the following table.

Location	IP address space	Public NAT segment
Montreal	10.10.0.0/16	190.15.1.0/24
Seattle	172.16.0.0/16	194.25.2.0/24
New York	192.168.0.0/16	198.35.3.0/24

The tenant contains the users shown in the following table.

Name	Email address
User1	User1@contoso.com
User2	User2@contoso.com

You create the Microsoft Cloud App Security policy shown in the following exhibit.

**Create filters for the policy**

**Act on:**

**Single activity:**  
Every activity that matches the filters

**Repeated activity:**  
Repeated activity by a single user

Minimum repeated activities:

Within timeframe:  minutes

☐ In a single app

☐ Count only unique target files or folders per user

[Edit and preview results](#)

**ACTIVITIES MATCHING ALL OF THE FOLLOWING**

IP address

Raw IP address

equals

10.10.0.0/24

OR

194.25.2.0/24

Activity type

equals

Download file

User

From group

equals

Application(Cloud App Security)

as

Actor only

**Alerts**

☒ Create alert Use your organization's default settings

Daily alert limit 5

For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
NOTE: Each correct selection is worth one point.

### Statements

Yes	No
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>

In the Monreal office, if User1 downloads 40 files in 30 seconds, an alert will be created.

In the Seattle, if User2 downloads one file per second for two minutes, an alert will be created.

In the New York office, if User1 downloads 40 files in 10 seconds, an alert will be created.

- A. Mastered  
B. Not Mastered

**Answer: A**

**Explanation:**

### Statements

In the Monreal office, if User1 downloads 40 files in 30 seconds, an alert will be created.

Yes

☐

No

☐

In the Seattle, if User2 downloads one file per second for two minutes, an alert will be created.

☐
☐

In the New York office, if User1 downloads 40 files in 10 seconds, an alert will be created.

☐
☒

### NEW QUESTION 10

You have a Microsoft 365 subscription.

You need to create data loss prevention (DLP) queries in Microsoft SharePoint Online to find sensitive data stored in sites.

Which type of site collection should you create first?

- A. Records Center
- B. Compliance Policy Center
- C. eDiscovery Center
- D. Enterprise Search Center
- E. Document Center

**Answer: C**

### Explanation:

Reference:

<https://support.office.com/en-us/article/overview-of-data-loss-prevention-in-sharepoint-server-2016-80f907bbb944-448d-b83d-8fec4abcc24c>

### NEW QUESTION 13

#### HOTSPOT

You have a Microsoft 365 subscription.

You are creating a retention policy named Retention1 as shown in the following exhibit.

Decide if you want to retain content, delete it, or both

Do you want to retain content? ⓘ

☒ Yes, I want to retain it ⓘ

For this long... ▾ 2 years ▾

Retain the content based on when it was last modified ▾ ⓘ

Do you want us to delete it after this time? ⓘ

☒ Yes ☐ No

☐ No, just delete content that's older than ⓘ

1 years ▾

Need more options?

☐ Use advanced retention settings ⓘ

Back

Next

Cancel

You apply Retention1 to SharePoint sites and OneDrive accounts.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

If a user creates a file in a Microsoft SharePoint library on January 1, 2019, and modifies the file every six months, the file will be [answer choice].

retained

deleted on January 1, 2021

deleted on July 1, 2021

If a user creates a file in Microsoft OneDrive on January 1, 2019, modifies the file on March 1, 2019, and deletes the file on May 1, 2019, the user [answer choice].

cannot recover the file

can recover the file until January 1, 2020

can recover the file until March 1, 2020

can recover the file until May 1, 2020

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

If a user creates a file in a Microsoft SharePoint library on January 1, 2019, and modifies the file every six months, the file will be [answer choice].

retained	▼
deleted on January 1, 2021	
deleted on July 1, 2021	

If a user creates a file in Microsoft OneDrive on January 1, 2019, modifies the file on March 1, 2019, and deletes the file on May 1, 2019, the user [answer choice].

cannot recover the file	▼
can recover the file until January 1, 2020	
can recover the file until March 1, 2020	
can recover the file until May 1, 2020	

**NEW QUESTION 16**

You have a Microsoft 365 subscription. You need to ensure that users can apply retention labels to individual documents in their Microsoft SharePoint libraries. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. From the Cloud App Security admin center, create a file policy.
- B. From the SharePoint admin center, modify the Site Settings.
- C. From the SharePoint & Compliance admin center, create a label.
- D. From the SharePoint admin center, modify the records management settings.
- E. From the Security & Compliance admin center, publish a label.

**Answer:** CE

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/protect-sharepoint-online-files-with-office-365-labels-and-dlp>

**NEW QUESTION 18**

You recently created and published several labels policies in a Microsoft 365 subscription. You need to view which labels were applied by users manually and which labels were applied automatically. What should you do from the Security & Compliance admin center?

- A. From Search & investigation, select Content search
- B. From Data governance, select Events
- C. From Search & investigation, select eDiscovery
- D. From Reports, select Dashboard

**Answer:** B

**NEW QUESTION 20**

You have a Microsoft 365 subscription that includes a user named Admin1. You need to ensure that Admin1 can preserve all the mailbox content of users, including their deleted items. The solution must use the principle of least privilege. What should you do?

- A. From the Microsoft 365 admin center, assign the Exchange administrator role to Admin1.
- B. From the Exchange admin center, assign the Discovery Management admin role to Admin1.
- C. From the Azure Active Directory admin center, assign the Service administrator role to Admin1.
- D. From the Exchange admin center, assign the Recipient Management admin role to Admin1.

**Answer:** B

**NEW QUESTION 22**

You have a hybrid Microsoft 365 environment. All computers run Windows 10 Enterprise and have Microsoft Office 365 ProPlus installed. All the computers are joined to Active Directory. You have a server named Server1 that runs Windows Server 2016. Server1 hosts the telemetry database. You need to prevent private details in the telemetry data from being transmitted to Microsoft. What should you do?

- A. On Server1, run readinessreportcreator.exe
- B. Configure a registry on Server1
- C. Configure a registry on the computers
- D. On the computers, run tdadm.exe

**Answer:** C

#### NEW QUESTION 27

Your company has a main office and a Microsoft 365 subscription.

You need to enforce Microsoft Azure Multi-Factor Authentication (MFA) by using conditional access for all users who are NOT physically present in the office. What should you include in the configuration?

- A. a user risk policy
- B. a sign-in risk policy
- C. a named location in Azure Active Directory (Azure AD)
- D. an Azure MFA Server

**Answer:** C

#### Explanation:

References:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

#### NEW QUESTION 32

##### HOTSPOT

You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com that contains the users shown in the following table.

Name	Member	Multi-factor authentication (MFA) status
User1	Group1	Disabled
User2	Group1, Group2	Enabled

You create and enforce an Azure AD Identity Protection user risk policy that has the following settings:

- Assignments: Include Group1, Exclude Group2
- Conditions: Sign in risk of Low and above
- Access: Allow access, Require password change

You need to identify how the policy affects User1 and User2.

What occurs when User1 and User2 sign in from an unfamiliar location? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Must change their password:

	▼
User1 only	
User2 only	
Both User1 and User2	
Neither User1 not User2	

Prompted for MFA:

	▼
User1 only	
User2 only	
Both User1 and User2	
Neither User1 not User2	

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Must change their password:

	▼
User1 only	
User2 only	
Both User1 and User2	
Neither User1 not User2	

Prompted for MFA:

	▼
User1 only	
User2 only	
Both User1 and User2	
Neither User1 not User2	

#### NEW QUESTION 33

You have a Microsoft 365 Enterprise E5 subscription.

You use Windows Defender Advanced Threat Protection (Windows Defender ATP).



You need to integrate Microsoft Office 365 Threat Intelligence and Windows Defender ATP. Where should you configure the integration?

- A. From the Microsoft 365 admin center, select Settings, and then select Services & add-ins.
- B. From the Security & Compliance admin center, select Threat management, and then select Explorer.
- C. From the Microsoft 365 admin center, select Reports, and then select Security & Compliance.
- D. From the Security & Compliance admin center, select Threat management and then select Threat tracker.

**Answer:** B

**Explanation:**

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/integrate-office-365-ti-with-wdatp>


**NEW QUESTION 34**

You have a Microsoft 365 subscription that uses a default domain name of fabrikam.com. You create a safe links policy, as shown in the following exhibit.

Safe links policy for your organization

**Settings that apply to content across Office 365**

When users click a blocked URL, they're redirected to a web page that explains why the URL is blocked.  
Block the following URLs:



**Settings that apply to content except email**

These settings don't apply to email messages. If you want to apply them for email, create a safe links policy for email recipients.

Use safe links in:

- ☒ Office 356 ProPlus, Office for iOS and Android
- ☒ Office Online of above applications

For the locations selected above:

- ☒ Do not track when users click safe links:
- ☒ Do not let users click through safe links to original URL:

Which URL can a user safely access from Microsoft Word Online?

- A. fabrikam.phishing.fabrikam.com
- B. malware.fabrikam.com
- C. fabrikam.contoso.com
- D. www.malware.fabrikam.com

**Answer:** D

**Explanation:**

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/set-up-a-custom-blocked-urls-list-wtih-atp>

**NEW QUESTION 37**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some questions sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You have a user named User1. Several users have full access to the mailbox of User1.

Some email messages sent to User1 appear to have been read and deleted before the user viewed them.

When you search the audit log in Security & Compliance to identify who signed in to the mailbox of User1, the results are blank.

You need to ensure that you can view future sign-ins to the mailbox of User1.

You run the Set-AdminAuditLogConfig -AdminAuditLogEnabled \$true-AdminAuditLogCmdlets \*Mailbox\* command. Does that meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/policy-and-compliance-audit/setadmindauditlogconfig?view=exchange-ps>

### NEW QUESTION 42

## HOTSPOT

You have a Microsoft 365 subscription. Auditing is enabled.

A user named User1 is a member of a dynamic security group named Group1. You discover that User1 is no longer a member of Group1.

You need to search the audit log to identify why User1 was removed from Group1.

Which two actions should you use in the search? To answer, select the appropriate activities in the answer area.

NOTE: Each correct selection is worth one point.

## Search

**Activities**

Clear

Show results for all activities

▼

x Clear all to show results for all activities

Search

## Results

Date ▼	IP address	User	Activity	Item
<b>User administration activities</b>				
			Added user	
			Deleted user	
			Reset user password	
			Changed user password	
			Updated user	
			Set property that forces user to change password	
			Set license properties	
			Changed user license	
<b>Azure AD group administration activities</b>				
			Added group	
			Updated group	
			Deleted group	
			Added member to group	
			Removed member from group	
<b>Application administration activities</b>				
			Added service principal	
			Removed a service principal from the directory	
			Set delegation entry	
			Removed credentials from a service principal	
			Added delegation entity	
			Added credentials to a service principal	

- A. Mastered  
B. Not Mastered

**Answer: A**

**Explanation:**

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/search-the-audit-log-in-security-and-compliance>

## NEW QUESTION 47


## HOTSPOT


You have a Microsoft 365 subscription that include three users named User1, User2, and User3.

A file named File1.docx is stored in Microsoft OneDrive. An automated process updates File1.docx every minute.

You create an alert policy named Policy1 as shown in the following exhibit.

Policy1

 Edit policy

 Delete policy

Status	<input checked="" type="checkbox"/> On	
Description	Policy1 description	<a href="#">Edit</a>
Severity	<input checked="" type="radio"/> Low	
Category	Threat management	

Conditions

Activity is Copied file and File name is Like any of File1.docx

Aggregation

Aggregated

[Edit](#)

Threshold

10 activities

Window

60 minutes

Scope

All users

Email recipients

prvi@sk180920.onmicrosoft.com

Daily notifications limit

Do not send email notifications

[Edit](#)

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

If User1 runs a scheduled task that copies File1.docx to a local folder every five minutes.  
[answer choice].

	▼
Policy1 will not be triggered	
Policy1 will be triggered after 45 minutes	
Policy1 will be triggered after 60 minutes	

If User1, User2, and User3 each run a scheduled task that copies File1.docx to a local folder every 10 minutes. [answer choice].

	▼
Policy1 will not be triggered	
Policy1 will be triggered within 20 minutes	
Policy1 will be triggered within 45 minutes	
Policy1 will be triggered after 60 minutes	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/alert-policies>

**NEW QUESTION 48**

You have a Microsoft 365 subscription.

You create a retention policy and apply the policy to Exchange Online mailboxes.

You need to ensure that the retention policy tags can be assigned to mailbox items as soon as possible.

What should you do?

- A. From Exchange Online PowerShell, run Start-RetentionAutoTagLearning
- B. From Exchange Online PowerShell, run Start-ManagedFolderAssistant
- C. From the Security & Compliance admin center, create a data loss prevention (DLP) policy
- D. From the Security & Compliance admin center, create a label policy

**Answer:** D

**Explanation:**

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/labels>

**NEW QUESTION 50**

You have a Microsoft 365 subscription.

You have a team named Team1 in Microsoft Teams. You plan to place all the content in Team1 on hold.

You need to identify which mailbox and which Microsoft SharePoint site collection are associated to Team1.

Which cmdlet should you use?

- A. Get-UnifiedGroup
- B. Get-MailUser
- C. Get-TeamMessagingSettings
- D. Get-TeamChannel

**Answer:** A

**NEW QUESTION 55**

Several users in your Microsoft 365 subscription report that they received an email message without the attachment. You need to review the attachments that were removed from the messages. Which two tools can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. the Exchange admin center
- B. the Azure ATP admin center
- C. Microsoft Azure Security Center
- D. the Security & Compliance admin center
- E. Outlook on the web

**Answer:** AD

**Explanation:**

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/manage-quarantined-messages-and-files>

**NEW QUESTION 60**

DRAG DROP

You have a Microsoft 365 E5 subscription.

All computers run Windows 10 and are onboarded to Windows Defender Advanced Threat Protection (Windows Defender ATP).

You create a Windows Defender machine group named MachineGroup1.

You need to enable delegation for the security settings of the computers in MachineGroup1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the

correct order.

Actions

From Windows Defender Security Center, create a role.

From Windows Defender Security Center, configure the permissions for MachineGroup1.

From the Azure portal, create an RBAC role.

From the Microsoft Azure portal, create an Azure Active Directory (Azure AD) group.

From Azure Cloud Shell, run the Add-HsolRoleMember cmdlet.

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

From Windows Defender Security Center, create a role.

From Windows Defender Security Center, configure the permissions for MachineGroup1.

From the Azure portal, create an RBAC role.

From the Microsoft Azure portal, create an Azure Active Directory (Azure AD) group.

From Azure Cloud Shell, run the Add-HsolRoleMember cmdlet.

Answer Area

From Windows Defender Security Center, configure the permissions for MachineGroup1.

From the Microsoft Azure portal, create an Azure Active Directory (Azure AD) group.

From the Azure portal, create an RBAC role.

NEW QUESTION 65

You have a Microsoft 365 subscription.  
You create an Advanced Threat Protection (ATP) safe attachments policy.  
You need to configure the retention duration for the attachments in quarantine. Which type of threat management policy should you create?

- A. Anti-malware
- B. DKIM
- C. Anti-spam
- D. ATP anti-phishing

Answer: A

NEW QUESTION 66

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some questions sets might have more than one correct solution, while others might not have a correct solution.  
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.  
You have an on-premises Active Directory domain named contoso.com.  
You install and run Azure AD Connect on a server named Server1 that runs Windows Server. You need to view Azure AD Connect events.  
You use the Security event log on Server1. Does that meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

References:  
<https://support.pingidentity.com/s/article/PingOne-How-to-troubleshoot-an-AD-Connect-Instance>

NEW QUESTION 67

.....



## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your MS-500 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/MS-500-dumps.html>