



Microsoft

Exam Questions PL-400

Microsoft Power Platform Developer

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 1)

You need to address the user interface issues.

What should you do? To answer, drag the appropriate actions to the correct issues. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Actions	Requirement	Action
Add &ribbondebug=true to the end of the application URL.	Resolve rendering issue for New and Save buttons.	<input type="text"/>
Export the XML file.		
Modify the RibbonWSS.xsd file.	Add email button for registration form.	<input type="text"/>
Use Ribbon Workbench.		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Add &ribbondebug=true to the end of the application URL.

Scenario: The captions for the New and Save buttons do not render properly on the form.

You can use the an in-app tool called the Command Checker to inspect the ribbon component definitions to help us determine why the button is not rendered correctly.

To enable the Command Checker, you must append a parameter &ribbondebug=true to your D365 application URL. For example:

<https://yourorgname.crm.dynamics.com/main.aspx?appid=9ab590fc-d25e-ea11-a81d-000d3ac2b3e6&ribbondeb>

Box 2: Use the Ribbon Workbench Adding Buttons to Ribbons

- > Download and install Ribbon Workbench.
- > Select a suitable ICON for your button.
- > Create a solution.
- > Edit the button in Ribbon Workbench.
- > Publish and test.

Reference:

<https://support.microsoft.com/en-us/help/4552163/ribbon-troubleshooting-guide> <https://neilparkhurst.com/2015/10/19/adding-buttons-to-ribbons/>

NEW QUESTION 2

- (Exam Topic 2)

You need to identify the execution mode that is being used for the ISV solution reported by User5. Which type of execution mode is in use?

- A. asynchronous
- B. atomicity
- C. transfer
- D. synchronous

Answer: D

Explanation:

User5 receives the error message: 'Endpoint unavailable' during a test of the technician dispatch ISV solution. When you choose to use a synchronous execution mode any failure will be reported back to the user of the application with an Endpoint unavailable error dialog informing the user that the webhook service endpoint may be configured incorrectly or is not available.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/use-webhooks>

NEW QUESTION 3

- (Exam Topic 4)

You are creating a model-driven app.

Users need to see only the entities in the app navigation that are relevant to their role and their method of accessing the app.

You need to restrict entities on the sub-areas in the SiteMap.

Which properties should you use? To answer, drag the appropriate properties to the correct requirements. Each property may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

Properties	Requirement	Property
Client	Ensure that the entity is visible only if the user can create records.	
Offline Availability	Ensure that the entity is not visible if the user is using an on-premises deployment.	
Privileges	Ensure that the entity is visible only if the user is accessing the app with a web browser.	
SKUs		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Privileges

Privileges: This defines whether a subarea is displayed based on privileges available in any security roles that are assigned to the user.

Box 2: SKU

SKUs: Select the versions of Dynamics 365 that display this subarea. Box 3: Client

Client: Select the type of client that displays this subarea. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-site-map-app>

NEW QUESTION 4

- (Exam Topic 4)

A company needs to illustrate the relationships of the entities in Dynamics 365 Sales. You need to select the appropriate tool to show this graphic. Which tool should you select?

- A. Metadata diagram
- B. Sales Insights
- C. Power Automate
- D. Security model

Answer: A

Explanation:

Visual representation of metadata can be useful, especially when you are trying to describe the relationship between entities in the system. You can use the Metadata Diagram sample code provided for Dynamics 365 Customer Engagement (on-premises) to generate the entity relationship diagrams.

You can create a diagram that shows a relationship for just one entity, or a complex diagram that includes dozens of related entities, including custom and system entities. Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/use-metadata-gener>

NEW QUESTION 5

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a one-way integration from the Common Data Service to another system.

You must use an Azure Function to update the other system. The integration must send only newly created records to the other system. The solution must support scenarios where a component of the integration is unavailable for more than a few seconds to avoid data loss. You need to design the integration solution.

Solution: Configure the Azure Function with a timer trigger that runs every five minutes. The function will query the Common Data Service and process records created in the last five minutes.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure Service Bus queue solution with asynchronous communication. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/azure-integration>

NEW QUESTION 6

- (Exam Topic 4)

You are creating a business process flow for an organization's Request for Quote process. You need to ensure that the business process flow meets the company's requirements.

Which components should you use? To answer, drag the appropriate components to the correct requirements. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes to scroll to view content. Select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Components	Requirement	Component
<input type="text" value="Step"/>	The process starts with the receipt of the request for quote.	<input type="text"/>
<input type="text" value="Stage"/>	Ensure that credit checks are performed for new users only.	<input type="text"/>
<input type="text" value="Custom control"/>	Merge all process paths into the main flow.	<input type="text"/>
<input type="text" value="Branching condition"/>		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Step

Each step represents a field where data can be entered.

Stages tell you where you are in the process, while steps are action items that lead to a desired outcome. Box 2: Branching condition

You can enhance a business process flow with branching. If you have the create permissions on business

process flows, you'll be able create business process flow with multiple branches by using the If-Else logic. Box 3: Stage

Each stage contains a group of steps. Reference:

<https://docs.microsoft.com/en-us/power-automate/business-process-flows-overview> <https://docs.microsoft.com/en-us/power-automate/enhance-business-process-flows-branching>

NEW QUESTION 7

- (Exam Topic 4)

A company is preparing to go live with their Dynamics 365Sales solution, but first they need to migrate data from a legacy system. The company is migrating accounts in batches of 1,000.

When the data is saved to Dynamics 365 Sales, the IDs for the new accounts must be output to a log file. You have the following code:

```

1. ExecuteMultipleRequest request = new ExecuteMultipleRequest()
2. {
3.     Settings = new ExecuteMultipleSettings()
4.     {
5.         ContinueOnError = true,
6.         ReturnResponses = false
7.     },
8.     Requests = new OrganizationRequestCollection()
9. };
10. GetAccountData(request.Requests);
11. ExecuteMultipleResponse responseWithResults = (ExecuteMultipleResponse)
    crmSvc.Execute(request);
12. foreach (var responseItem in responseWithResults.Responses)
13. {
14.     . . .
15. }
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statement	Yes	No
The developer is able to get access to the newly-created accounts IDs.	<input type="radio"/>	<input type="radio"/>
If an error occurs, the developer can get access to the request that caused the fault.	<input type="radio"/>	<input type="radio"/>
If there are errors in the requests, the request will raise an exception at the first error and stop processing.	<input type="radio"/>	<input type="radio"/>
If there are ten errors in the 1,000 CreateRequest requests, ten responses will be returned from the platform.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Box 2: Yes

ContinueOnError: When true, continue processing the next request in the collection even if a fault has been returned from processing the current request in the collection. When false, do not continue processing the next request.

ReturnResponses: When true, return responses from each message request processed. When false, do not return responses.

When false, the Responses collection will not be empty if errors are returned. If errors are returned, there will be one response item in the collection for each processed request that returned a fault and Fault will be set to the actual fault that occurred.

Box 3: No

Box 4: Yes

For example, in a request collection that contains six requests where the third and fifth request return faults, the following table indicates what the Responses collection would contain.

ContinueOnError=true, ReturnResponses=false: 2 response items: 2 have Fault set to a value. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/org-service/execute-multiple-reque>

NEW QUESTION 8

- (Exam Topic 4)

A travel agency has a Dynamics 365 Customer Engagement.

Customers are allowed to add up to three countries/regions to their travel preferences from the website. Their preferences must be stored in the Contact entity.

You need to register the plug-in to meet the requirements.

Which value should you apply for each parameter? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Parameter	Value
message	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="display: flex; border-bottom: 1px solid black; padding-bottom: 5px;">create</div> <div style="display: flex; border-bottom: 1px solid black; padding-bottom: 5px;">associate</div> <div style="display: flex; padding-bottom: 5px;">update</div> </div>
primary entity	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="display: flex; border-bottom: 1px solid black; padding-bottom: 5px;">none</div> <div style="display: flex; border-bottom: 1px solid black; padding-bottom: 5px;">country</div> <div style="display: flex; padding-bottom: 5px;">contact</div> </div>
secondary entity	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="display: flex; border-bottom: 1px solid black; padding-bottom: 5px;">none</div> <div style="display: flex; border-bottom: 1px solid black; padding-bottom: 5px;">country</div> <div style="display: flex; padding-bottom: 5px;">contact</div> </div>
execution mode	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="display: flex; border-bottom: 1px solid black; padding-bottom: 5px;">synchronous</div> <div style="display: flex; padding-bottom: 5px;">asynchronous</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: associate

Box 2: contact

Customers are allowed to add up to three countries/regions to their travel preferences from the website. Their preferences must be stored in the Contact entity.

Box 3: country

Box 4: synchronous Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/tutorial-write-plugin>

NEW QUESTION 9

- (Exam Topic 4)

A company delivers packages to businesses and consumers. A custom entity named Package captures the package details.

You need to add the following sets of fields to the entity and leverage the built-in operations of the platform:

- A set of fields to represent the package length, width, depth, and weight. The maximum value for any dimension is 100 centimeters.
- A set of fields for time-sensitive attributes to calculate the efficiency of a delivery based on when the delivery is entered in the system and the existing custom fields: Pickup time and Delivery time.

Which constructs should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

Construct

Calculate the efficiency of the delivery.

- DIFFINMINUTES(Created On, Modified On)
- DIFFINMINUTES(Created On, Delivery Time)
- DIFFINHOURS(Created On, Modified On)
- DIFFINHOURS(Created On, Delivery Time)

Select the data type that has additional transformations applied before the data is displayed.

- Autonumber
- Phone number
- Customer
- Currency
- Duration

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: DIFFINMINUTES(Created on, Delivery Time)

DIFFINMINUTES (date and time, date and time) returns the difference in minutes between two Date and Time columns.

Box 2: Duration Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/define-calculated-fields>

NEW QUESTION 10

- (Exam Topic 4)

A multinational company requires that all phone numbers be standardized as country code + area code + phone number.

The application design team decides that a custom PowerApps component framework (PCF) control should be used to prompt users for an area code and correctly format the phone number.

You need to get the list of valid area codes when a contact record is opened and before the user enters a new phone number.

In which function should you call `webAPI.retrieveMultipleRecords`?

- A. `notifyOutputChanged`
- B. `init`
- C. `getOutputs`
- D. `updateView`

Answer: D

Explanation:

The `updateView` method will be called when any value in the property bag has changed. This includes field values, data-sets, global values such as container height and width, offline status, component metadata values such as label, visible, etc.

Set the value of the field component to the raw value from the configured field. Note: `webAPI.retrieveMultipleRecords` retrieves a collection of entity records.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/component-framework/reference/control/updateview>

NEW QUESTION 10

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A university has implemented Dynamics 365 Customer Engagement. Several departments use opportunity records to bid for funding for projects within their own departments.

Each department's opportunities are not visible to other departments. However, there are times when two departments need to work together on an opportunity.

You need to configure the security to meet the business requirements.

Solution: Share the individual opportunity that member of one department are working on with all members of the second department, and give those members the appropriate permissions. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 12

- (Exam Topic 4)

You are developing a Web API for a company.

You need to implement the appropriate operations to meet the company's requirements. What should you implement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Requirement	Operation
Implement operations that do not have side effects and may support further composition	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="border-bottom: 1px solid black; padding: 2px 5px;">Functions</div> <div style="border-bottom: 1px solid black; padding: 2px 5px;">Actions</div> <div style="padding: 2px 5px;">Entities</div> </div>
Implement operations that allow side effects, such as data modification	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="border-bottom: 1px solid black; padding: 2px 5px;">Functions</div> <div style="border-bottom: 1px solid black; padding: 2px 5px;">Actions</div> <div style="padding: 2px 5px;">Entities</div> </div>
Implement keyless named structured types that consist of a set of properties	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="border-bottom: 1px solid black; padding: 2px 5px;">Complex types</div> <div style="border-bottom: 1px solid black; padding: 2px 5px;">Entity types</div> <div style="padding: 2px 5px;">Enumeration types</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Functions

Box 2: Actions

Box 3: Complex types

Complex types are keyless named structured types consisting of a set of properties. Complex types are commonly used as property values in model entities, or as parameters or return values for operations.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/webapi/web-api-types-operations#>

NEW QUESTION 14

- (Exam Topic 4)

User1 and User2 use a form named F1 to enter account data. Both users have the same security role, SR1, in the same business unit.

User1 has a business rule to make the main phone mandatory if the relationship type is Reseller. User2 must occasionally create records of the Reseller type without having the reseller's phone number and is blocked by User1's business rule.

You need to ensure that User2 can enter reseller data into the system.

Which three actions should perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct order you select.

Actions	Answer Area
Copy the security role as SR2. Assign the SR2 security to User2 and remove the original security role SR1.	
Open form F1 and save it as a form named F2.	
Remove the business role from form F2.	⬅️
Set the SR1 security role to be the only role for form F1 and the SR2 role to be the only role for form F2.	➡️
Create a business rule for form F2 to make the phone number optional for resellers.	⬆️ ⬇️

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Copy the security role as SR2. Assign the SR2 security to User2 and remove the original security role SR1.	<div style="border: 1px dashed red; padding: 5px;"> <p>Open form F1 and save it as a form named F2.</p> <p>Remove the business role from form F2.</p> <p>Create a business rule for form F2 to make the phone number optional for resellers.</p> </div>
Open form F1 and save it as a form named F2 .	
Remove the business role from form F2.	
Set the SR1 security role to be the only role for form F1 and the SR2 role to be the only role for form F2.	
Create a business rule for form F2 to make the phone number optional for resellers.	

NEW QUESTION 18

- (Exam Topic 4)

A company has two development instances, two test instances, two staging instances, and one production instance.

The test team reports connection issues with the test and staging instances.

You need to identify which of the instances the testing team currently has access to. Which two URLs can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. <https://myorg.api.crm.dynamics.com/api/data/v.9.1/>
- B. <https://dev.crm.dynamics.com/api/discovery/v9.1/Instances>
- C. [https://dev.crm.dynamics.com/api/discovery/v9.1/Instances\(UniqueName='myorg'\)](https://dev.crm.dynamics.com/api/discovery/v9.1/Instances(UniqueName='myorg'))
- D. <https://disco.crm.dynamics.com/api/discovery/v9.1/>
- E. <https://globaldisco.crm.dynamics.com/api/discovery/v9.1/Instances>

Answer: CE

Explanation:

C: Organization information is stored in the Instance entity of the Discovery service. To see the kind of information contained in that entity, send an HTTP GET request to the service for one of your instances.

GET [https://dev.{servername}/api/discovery/v9.0/Instances\(UniqueName='myorg'\)](https://dev.{servername}/api/discovery/v9.0/Instances(UniqueName='myorg'))

In the above example, the discovery service is used to obtain the organization information of the instance with a unique name of "myorg".

Reference:

<https://docs.microsoft.com/en-in/dynamics365/customerengagement/on-premises/developer/webapi/discover-url> <https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/webapi/samples/global-discovery>

NEW QUESTION 22

- (Exam Topic 4)

You are developing a model-driven app for the purchasing department of an organization. You provision a new test environment and a security role. You select users to test the apps and assign the users to a security group named TestSG.

If the tests succeed, a manager will perform additional testing in the production environment and then publish the app for the organization's purchasing department.

You need to ensure that the test and production environments are configured correctly. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Scenario	Security artifact
Ensure that only test users can access the test environment.	<div style="border: 1px solid black; padding: 5px;"> <p>Set the test environment security group to TestSG.</p> <p>Assign the test users the app security role.</p> <p>Set the test environment security group to TestSG and assign test users the app security role.</p> </div>
Ensure that only the manager can access the app in production.	<div style="border: 1px solid black; padding: 5px;"> <p>Set the production environment security group to TestSG.</p> <p>Assign the manager the app security role.</p> <p>Add the manager to the TestSG security group and grant the manager the app security role.</p> </div>
Ensure that test users can access the app in production.	<div style="border: 1px solid black; padding: 5px;"> <p>Set the production environment security group to TestSG.</p> <p>Assign the test users the app security role.</p> <p>Set the production environment security group to TestSG and assign test users the app security role.</p> </div>
Ensure that purchasing department users can access the test environment.	<div style="border: 1px solid black; padding: 5px;"> <p>Remove the security group TestSG associated with the test environment.</p> <p>Assign all users the app security role.</p> <p>Add all users in the department to the TestSG security group.</p> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Set the test environment security group to TestSG and assign test users the app security role.

PowerApps apps use role-based security for sharing. The fundamental concept in role-based security is that a security role contains privileges that define a set of actions that can be performed within the app. All app users must be assigned to one or more predefined or custom roles.

Box 2: Assign the manager the app security role.

Box 3: Set the production environment security group to TestSG Box 4: Add all users in the department to the TestSG security group. Reference: <https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/share-model-driven-app>

NEW QUESTION 25

- (Exam Topic 4)

An organization plans to set up a secure connector for Power Apps. The App will capture tweets from Twitters about the organization's upcoming product for sales follow-up.

You need to configure security for the app. Which authentication method should you use?

- A. OAuth
- B. API key
- C. Windows authentication
- D. Kerberos authentication
- E. Basic authentication

Answer: A

Explanation:

Configure OAuth2 provider settings for portals.

The OAuth 2.0 based external identity providers involve registering an "application" with a third-party service to obtain a "client ID" and "client secret" pair.

The supported providers are:

- > Microsoft Account
- > Twitter
- > Facebook
- > Google
- > LinkedIn
- > Yahoo

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/portals/configure/configure-oauth2-settings>

NEW QUESTION 30

- (Exam Topic 4)

A university has implemented Dynamic 365 Sales. Several department use opportunity records to bid for funding for project within their departments. Each department's opportunities are not visible to other departments. However, there are times two departments needs to work together on an opportunity. You need to configure the security to meet the business requirements.

Solution: Use position hierarchy security and define the two departments as positions. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 33

- (Exam Topic 4)

You are troubleshooting Power Apps solutions.

You need to determine the cause for the identified issues.

What is the root cause for each issue? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Issue	Reason
Solution checker does not complete a run for one solution but works for a different solution.	<ul style="list-style-type: none"> A canvas app in the first solution has errors. The Power Apps checker application user is disabled.
You encounter an error on line three of a web resource as shown below:	<ul style="list-style-type: none"> The code uses the following rule: web-avoid-eval The code uses the following rule: web-remove-debug-script The code uses the following rule: web-avoid-modals The code uses the following rule: web-use-strict-mode.

```

var acctnumber = formContext.getAttribute
("accountnumber").getValue();
if (acctnumber == 'abc')
    
```

- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

Box 1: A canvas app in the first solution has errors.

Failures that occur during background processing of the analysis will fail with 'Couldn't be completed' status and return an error message in the Power Apps portal as well as send email notification to the requestor.



Selecting the portal notification will link to this page of common issues for further troubleshooting. If one of the provided common issues does not resolve the problem, a reference number is also returned. Provide this reference number to Microsoft Support for further investigation.



Box 2: The code uses the following rule: web-use-strict-mode

web-use-strict-mode is able to throw a SyntaxError before the script is executing. Example:

The reason is JavaScript lets you compare different variable types but this can have unexpected results, so by using the strict === it compares the same type and won't have unexpected results this gets a warning entity.field == "Line1" Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/common-issues-resolutions-solution-c>

NEW QUESTION 35

- (Exam Topic 4)

A company uses Common Data Service (CDS) and manages their engineers using a model-driven app. You create a new reusable custom component using the PowerApps component framework (PCF).

You need to package the custom component to be deployed into the model-driven app.

Which three commands should you run in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
npm install	
msbuild /t:build /restore	
npm start	<div style="display: flex; justify-content: space-between; align-items: center;"> ⏪ ⏩ </div>
npm run build	
pac solution add-reference -path <control path>	
pac solution init -publisher-name <publisher> --publisher-prefix <prefix>	
pac pcf init --namespace <namespace> --name <control name> --template field	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: npm install Install Npm

Step 2: pac pcf init ..

Commands for working with Power Apps component framework. It has the following parameters:

- > init: Initializes the code component project. It has the following parameters
- > namespace: Namespace of the code component.
- > name: Name of the code component.
- > template: Field or dataset

Step 3: pac solution add-reference

Commands for working with Common Data Service solution projects. It has the following parameters: add-References:

Sets the reference path to the component project folder by passing the path parameter.

Syntax: pac solution add-reference --path <path to your Power Apps component framework project> Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/powerapps-cli>

NEW QUESTION 36

.....

Relate Links

100% Pass Your PL-400 Exam with Exam Bible Prep Materials

<https://www.exambible.com/PL-400-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>