



MuleSoft

Exam Questions MCD-Level-1

MuleSoft Certified Developer - Level 1 (Mule 4)

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

How would you debug Mule applications?

- A. Using breakpoints
- B. Checking RAML
- C. By Deploying apps on production
- D. Cannot do it

Answer: A

NEW QUESTION 2

What does to the attributes of a Mule event happen in a flow after an outbound HTTP Request is made?

- A. Attributes do not change.
- B. Previous attributes are passed unchanged.
- C. Attributes are replaced with new attributes from the HTTP Request response.
- D. New attributes may be added from the HTTP response headers, but no headers are ever removed.

Answer: C

NEW QUESTION 3

What is the difference between a subflow and a sync flow?

- A. Sync flow has no error handling of its own and subflow doe
- B. Subflow has no error handling of its own and sync flow does.
- C. Subflow is synchronous and sync flow is asynchronous.
- D. No difference.

Answer: B

NEW QUESTION 4

What is the correct way to format the decimal 200.1234 as a string to two decimal places?

- A. 200.1234 as string {format: ".0#"}
- B. 200.1234 as string as format: ".0#"}
- C. 200.1234 as String {format: ".0#"}
- D. 200.1234 as String as format: ".0#"}

Answer: C

NEW QUESTION 5

How is policy defined in terms of classloader of an API?

- A. Classloader isolation does not exist between the application, the runtime and connectors, and policies.
- B. Classloader isolation exists between the application, the runtime and connectors, and policies.
- C. None of these.
- D. Classloader isolation partially exists between the application, the runtime and connectors, and policies.

Answer: B

NEW QUESTION 6

According to Mulesoft, how are Modern APIs treated as?

- A. products
- B. code
- C. soap services
- D. organizations

Answer: A

NEW QUESTION 7

According to Semantic Versioning, which version would you change for incompatible API changes?

- A. MINOR
- B. PATCH
- C. MAJOR
- D. No change

Answer: C

NEW QUESTION 8

What is the use of DevKit in Mule 4?

- A. Facilitates communication between third-party systems and Mule applications.
- B. No use.
- C. Offers connector end user support in a few aspects of Mule app design.
- D. Enables the development of Anypoint Connectors.

Answer: B

NEW QUESTION 9

What are the latest specification of RAML available?

- A. 0.8
- B. 1
- C. 2
- D. 1.8

Answer: B

NEW QUESTION 10

According to MuleSoft, what is the Center for Enablement's role in the new IT operating model?

- A. Implements line of business projects to enforce common security requirements.
- B. Centrally manages partners and consultants to implement line of business projects.
- C. Implements line of business projects to enforce common security requirements.
- D. Creates and manages discoverable assets to be consumed by line of business developers.

Answer: D

NEW QUESTION 10

Which one of them is NOT a flow in Mule?

- A. sync flow
- B. subflow
- C. async flow
- D. async sub flow

Answer: D

NEW QUESTION 13

How are multiple conditions used in a Choice router to route events?

- A. To route the same event to the matched route of EVERY true condition.
- B. None of these.
- C. To find the FIRST true condition, then distribute the event to the ONE matched route.
- D. To find the FIRST true condition, then route the same event to the matched route and ALL FOLLOWING routes.

Answer: C

NEW QUESTION 18

A flow has a JMS Publish consume operation followed by a JMS Publish operation. Both of these operations have the default configurations. Which operation is asynchronous and which one is synchronous?

- A. Publish consume: Synchronou
- B. Publish: Asynchronous.
- C. Publish consume: Asynchronou
- D. Publish: Synchronous.
- E. Publish consume: Asynchronou
- F. Publish: Asynchronous.
- G. Publish consume: Synchronou
- H. Publish: Synchronous.

Answer: A

NEW QUESTION 22

What is the trait name you would use for specifying client credentials in RAML?

- A. headers
- B. client-id
- C. client-id-required
- D. we do not specify in RAML

Answer: C

NEW QUESTION 26

What is the main purpose of flow designer in Design Center?

- A. To design and develop fully functional Mule applications in a hosted development environment.
- B. To design API RAML files in a graphical way.
- C. To design and mock Mule application templates that must be implemented using Anypoint Studio.
- D. To define API lifecycle management in a graphical way.

Answer: A

NEW QUESTION 27

What DataWeave 2.0 type can be used as input to a mapObject operation?

- A. Array
- B. Object
- C. String
- D. Map

Answer: B

NEW QUESTION 32

What does the Mule runtime use to enforce policies and limit access to APIs?

- A. API Manager
- B. The proxy created by API Manager
- C. The Mule runtime's embedded API Gateway
- D. Anypoint Access Control

Answer: C

NEW QUESTION 36

What are the features of CloudHub Fabric?

- A. Non-persistent queue
- B. Horizontal Scaling
- C. VPN Mock Services
- D. None of these

Answer: B

NEW QUESTION 41

What is the purpose of the api:router element in APIKit?

- A. Serves as an API implementation.
- B. Validates requests against RAML API specifications and routes them to API implementations.
- C. Creates native connectors using a 3rd party Java library.
- D. Validates responses returned from API requests and routes them back to the caller.

Answer: B

NEW QUESTION 44

A Set Variable component saves the current payload to a variable.

What is the DataWeave parent expression to access the variable?

- A. #[value]
- B. #[vars]
- C. #[var]
- D. #[values]

Answer: B

NEW QUESTION 48

A Batch Job scope has three batch steps. An event processor throws an error in the second batch step because the input data is incomplete.

What is the default behavior of the batch job after the error is thrown?

- A. All processing of the batch job stops.
- B. None of these.
- C. Error is ignored.
- D. Event processing continues to the next batch step.

Answer: A

NEW QUESTION 52

Does a root element need when creating a response using Dataweave?

- A. None of these
- B. Sometimes
- C. Never

D. Always

Answer: B

NEW QUESTION 56

Where would you create SLA Tiers for an API?

- A. Exchange
- B. API Manager
- C. Anypoint MQ
- D. Within the API

Answer: B

NEW QUESTION 61

What does the zip operator do in DataWeave?

- A. Minifies the size of value using encoding.
- B. None of these.
- C. Merges elements of two objects into a single object.
- D. Merges elements of two lists (arrays) into a single list.

Answer: D

NEW QUESTION 63

.....

Relate Links

100% Pass Your MCD-Level-1 Exam with ExamBible Prep Materials

<https://www.exambible.com/MCD-Level-1-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>