

200-201 Dumps

Understanding Cisco Cybersecurity Operations Fundamentals

<https://www.certleader.com/200-201-dumps.html>



NEW QUESTION 1

During which phase of the forensic process is data that is related to a specific event labeled and recorded to preserve its integrity?

- A. examination
- B. investigation
- C. collection
- D. reporting

Answer: C

NEW QUESTION 2

Which two elements are assets in the role of attribution in an investigation? (Choose two.)

- A. context
- B. session
- C. laptop
- D. firewall logs
- E. threat actor

Answer: AE

NEW QUESTION 3

Refer to the exhibit.

Interface: 192.168.1.29 --- 0x11		
Internet Address	Physical Address	Type
192.168.1.10	d8-a7-56-d7-19-ea	dynamic
192.168.1.67	d8-a7-56-d7-19-ea	dynamic
192.168.1.1	01-00-5e-00-00-16	static

What is occurring in this network?

- A. ARP cache poisoning
- B. DNS cache poisoning
- C. MAC address table overflow
- D. MAC flooding attack

Answer: A

NEW QUESTION 4

An engineer runs a suspicious file in a sandbox analysis tool to see the outcome. The analysis report shows that outbound callouts were made post infection. Which two pieces of information from the analysis report are needed to investigate the callouts? (Choose two.)

- A. signatures
- B. host IP addresses
- C. file size
- D. dropped files
- E. domain names

Answer: BE

NEW QUESTION 5

What is a benefit of agent-based protection when compared to agentless protection?

- A. It lowers maintenance costs
- B. It provides a centralized platform
- C. It collects and detects all traffic locally
- D. It manages numerous devices simultaneously

Answer: B

NEW QUESTION 6

Which process is used when IPS events are removed to improve data integrity?

- A. data availability
- B. data normalization
- C. data signature
- D. data protection

Answer: B

NEW QUESTION 7

Refer to the exhibit.

```
Mar 6 10:35:34 user sshd[12900]: pam_unix(sshd:auth):authentication failure;
logname= uid=0 euid=0 tty=ssh ruser= rhost=127.0.0.1
Mar 6 10:35:36 user sshd[12900]: Failed password for invalid user not_bill from
127.0.0.1 port 38346 ssh2
```

In which Linux log file is this output found?

- A. /var/log/authorization.log
- B. /var/log/dmesg
- C. var/log/var.log
- D. /var/log/auth.log

Answer: D

NEW QUESTION 8

What is a purpose of a vulnerability management framework?

- A. identifies, removes, and mitigates system vulnerabilities
- B. detects and removes vulnerabilities in source code
- C. conducts vulnerability scans on the network
- D. manages a list of reported vulnerabilities

Answer: A

NEW QUESTION 9

Refer to the exhibit.

```
<IMG SRC=j%41vascript:alert('attack')>
```

Which kind of attack method is depicted in this string?

- A. cross-site scripting
- B. man-in-the-middle
- C. SQL injection
- D. denial of service

Answer: A

NEW QUESTION 10

An organization has recently adjusted its security stance in response to online threats made by a known hacktivist group. What is the initial event called in the NIST SP800-61?

- A. online assault
- B. precursor
- C. trigger
- D. instigator

Answer: B

NEW QUESTION 10

Which incidence response step includes identifying all hosts affected by an attack'?

- A. post-incident activity
- B. detection and analysis
- C. containment eradication and recovery
- D. preparation

Answer: A

NEW QUESTION 15

Which attack method intercepts traffic on a switched network?

- A. denial of service
- B. ARP cache poisoning
- C. DHCP snooping
- D. command and control

Answer: C

NEW QUESTION 19

Refer to the exhibit.

```
- Internet Protocol version 4, Src: 192.168.122.100 (192.168.122.100), Dst:
81.179.179.69 (81.179.179.69)
  Version: 4
  Header Length: 20 bytes
+ Differentiated Services Field: 0x00 (DSCP 0x00: Default; ECN: 0x00: Not-ECT
(Not ECN-Capable Transport))
  Total Length: 538
  Identification: 0x6bse (27534)
+ Flags: 0x02 (Don't Fragment)
  Fragment offset: 0
  Time to live: 128
  Protocol: TCP (6)
+ Header checksum: 0x000 [Validation disabled]
  Source: 192.168.122.100 (192.168.122.100)
  Destination: 81.179.179.69 (81.179.179.69)
  [Source GeoIP: Unknown]

+ Transmission control protocol. src port: 50272 (50272) Dst Port: 80 (80).
Seq: 419451624. Ack: 970444123. Len: 490
```

What should be interpreted from this packet capture?

- A. IP address 179.179.69/50272/192.168.122.100/80/6 is sending a packet from port 80 of IP address 192.168.122.100 that is going to port 50272 of IP address 81.179.179.69 using IP protocol 6.
- B. IP address 192.168.122.100/50272/81.179.179.69/80/6 is sending a packet from port 50272 of IP address 192.168.122.100 that is going to port 80 of IP address 81.179.179.69 using IP protocol 6.
- C. IP address 192.168.122.100/50272/81.179.179.69/80/6 is sending a packet from port 80 of IP address 192.168.122.100 that is going to port 50272 of IP address 81.179.179.69 using IP protocol 6.7E503B693763E0113BE0CD2E4A16C9C4
- D. IP address 179.179.69/50272/192.168.122.100/80/6 is sending a packet from port 50272 of IP address 192.168.122.100 that is going to port 80 of IP address 81.179.179.69 using IP protocol 6.

Answer: B

NEW QUESTION 20

Which security principle is violated by running all processes as root or administrator?

- A. principle of least privilege
- B. role-based access control
- C. separation of duties
- D. trusted computing base

Answer: A

NEW QUESTION 24

Refer to the exhibit.

START	DURATION	SUBJECT IP AD...	SUBJECT PORT...	SUBJECT HOST...	SUBJECT BYTES	APPLICATION	TOTAL BYTES	PEER IP ADDRE...
May 6, 2020 6:46:42 AM (9hr 14 min 19s ago)	15min 13s	10.201.3.149	52599/UDP	End User Devices, Desktops, Atlanta, Sales and Marketing	6.42 M	Undefined UDP	132.53 M	152.46.6.91

Subject		Totals		Peer	
Packets:	60.06 K	Packets:	165.87 K	Packets:	105.81 K
Packet Rate:	65.78 pps	Packet Rate:	181.67 pps	Packet Rate:	115.89 pps
Bytes:	6.42 MB	Bytes:	132.53 MB	Bytes:	126.11 MB
Byte Rate:	7.37 Kbps	Byte Rate:	152.2 Kbps	Byte Rate:	144.83 Kbps
Percent Transfer:	4.64%	Subject Byte Ratio:	4.84%	Percent Transfer:	95.16%
Host Groups:	End User Devices, Desktops, Atlanta, Sales and Marketing	RTT:	-	Host Groups:	United States
Payload:	-	SRT:	-	Payload:	-

What is the potential threat identified in this Stealthwatch dashboard?

- A. Host 10.201.3.149 is sending data to 152.46.6.91 using TCP/443.
- B. Host 152.46.6.91 is being identified as a watchlist country for data transfer.
- C. Traffic to 152.46.6.149 is being denied by an Advanced Network Control policy.
- D. Host 10.201.3.149 is receiving almost 19 times more data than is being sent to host 152.46.6.91.

Answer: D

NEW QUESTION 29

Which evasion technique is a function of ransomware?

- A. extended sleep calls
- B. encryption
- C. resource exhaustion
- D. encoding

Answer: B

NEW QUESTION 33

An analyst discovers that a legitimate security alert has been dismissed. Which signature caused this impact on network traffic?

- A. true negative
- B. false negative
- C. false positive
- D. true positive

Answer: B

NEW QUESTION 38

What are the two characteristics of the full packet captures? (Choose two.)

- A. Identifying network loops and collision domains.
- B. Troubleshooting the cause of security and performance issues.
- C. Reassembling fragmented traffic from raw data.
- D. Detecting common hardware faults and identify faulty assets.
- E. Providing a historical record of a network transaction.

Answer: CE

NEW QUESTION 42

Which metric in CVSS indicates an attack that takes a destination bank account number and replaces it with a different bank account number?

- A. integrity

- B. confidentiality
- C. availability
- D. scope

Answer: A

NEW QUESTION 47

A security engineer has a video of a suspect entering a data center that was captured on the same day that files in the same data center were transferred to a competitor.

Which type of evidence is this?

- A. best evidence
- B. prima facie evidence
- C. indirect evidence
- D. physical evidence

Answer: C

NEW QUESTION 52

One of the objectives of information security is to protect the CIA of information and systems. What does CIA mean in this context?

- A. confidentiality, identity, and authorization
- B. confidentiality, integrity, and authorization
- C. confidentiality, identity, and availability
- D. confidentiality, integrity, and availability

Answer: D

NEW QUESTION 57

An intruder attempted malicious activity and exchanged emails with a user and received corporate information, including email distribution lists. The intruder asked the user to engage with a link in an email. When the link launched, it infected machines and the intruder was able to access the corporate network.

Which testing method did the intruder use?

- A. social engineering
- B. eavesdropping
- C. piggybacking
- D. tailgating

Answer: A

NEW QUESTION 59

Which evasion technique is indicated when an intrusion detection system begins receiving an abnormally high volume of scanning from numerous sources?

- A. resource exhaustion
- B. tunneling
- C. traffic fragmentation
- D. timing attack

Answer: A

NEW QUESTION 62

While viewing packet capture data, an analyst sees that one IP is sending and receiving traffic for multiple devices by modifying the IP header. Which technology makes this behavior possible?

- A. encapsulation
- B. TOR
- C. tunneling
- D. NAT

Answer: D

NEW QUESTION 63

A security specialist notices 100 HTTP GET and POST requests for multiple pages on the web servers. The agent in the requests contains PHP code that, if executed, creates and writes to a new PHP file on the webserver. Which event category is described?

- A. reconnaissance
- B. action on objectives
- C. installation
- D. exploitation

Answer: C

NEW QUESTION 64

Refer to the exhibit.

```
10.44.101.23 - - [20/Nov/2017:14:18:06 -0500] "GET / HTTP/1.1"
200 1254 "-" "Mozilla/5.0(X11; Ubuntu; Linux x86_64; rv:54.0)
Gecko/20100101 Firefox/54.0"
```

What does the message indicate?

- A. an access attempt was made from the Mosaic web browser
- B. a successful access attempt was made to retrieve the password file
- C. a successful access attempt was made to retrieve the root of the website
- D. a denied access attempt was made to retrieve the password file

Answer: C

NEW QUESTION 65

Which system monitors local system operation and local network access for violations of a security policy?

- A. host-based intrusion detection
- B. systems-based sandboxing
- C. host-based firewall
- D. antivirus

Answer: C

NEW QUESTION 70

What do the Security Intelligence Events within the FMC allow an administrator to do?

- A. See if a host is connecting to a known-bad domain.
- B. Check for host-to-server traffic within your network.
- C. View any malicious files that a host has downloaded.
- D. Verify host-to-host traffic within your network.

Answer: A

NEW QUESTION 74

What makes HTTPS traffic difficult to monitor?

- A. SSL interception
- B. packet header size
- C. signature detection time
- D. encryption

Answer: D

NEW QUESTION 79

A security expert is working on a copy of the evidence, an ISO file that is saved in CDFS format. Which type of evidence is this file?

- A. CD data copy prepared in Windows
- B. CD data copy prepared in Mac-based system
- C. CD data copy prepared in Linux system
- D. CD data copy prepared in Android-based system

Answer: A

NEW QUESTION 84

Which two components reduce the attack surface on an endpoint? (Choose two.)

- A. secure boot
- B. load balancing
- C. increased audit log levels
- D. restricting USB ports
- E. full packet captures at the endpoint

Answer: AD

NEW QUESTION 87

What does cyber attribution identify in an investigation?

- A. exploit of an attack
- B. threat actors of an attack
- C. vulnerabilities exploited
- D. cause of an attack

Answer: B

NEW QUESTION 88

Which open-sourced packet capture tool uses Linux and Mac OS X operating systems?

- A. NetScout
- B. tcpdump
- C. SolarWinds
- D. netsh

Answer: B

NEW QUESTION 92

Refer to the exhibit.

```
$ cuckoo submit --machine cuckoo1 /path/to/binary
```

Which event is occurring?

- A. A binary named "submit" is running on VM cuckoo1.
- B. A binary is being submitted to run on VM cuckoo1
- C. A binary on VM cuckoo1 is being submitted for evaluation
- D. A URL is being evaluated to see if it has a malicious binary

Answer: C

NEW QUESTION 94

Which list identifies the information that the client sends to the server in the negotiation phase of the TLS handshake?

- A. ClientStart, ClientKeyExchange, cipher-suites it supports, and suggested compression methods
- B. ClientStart, TLS versions it supports, cipher-suites it supports, and suggested compression methods
- C. ClientHello, TLS versions it supports, cipher-suites it supports, and suggested compression methods
- D. ClientHello, ClientKeyExchange, cipher-suites it supports, and suggested compression methods

Answer: C

NEW QUESTION 99

A network engineer discovers that a foreign government hacked one of the defense contractors in their home country and stole intellectual property. What is the threat agent in this situation?

- A. the intellectual property that was stolen
- B. the defense contractor who stored the intellectual property
- C. the method used to conduct the attack
- D. the foreign government that conducted the attack

Answer: D

NEW QUESTION 103

A system administrator is ensuring that specific registry information is accurate. Which type of configuration information does the HKEY_LOCAL_MACHINE hive contain?

- A. file extension associations
- B. hardware, software, and security settings for the system
- C. currently logged in users, including folders and control panel settings
- D. all users on the system, including visual settings

Answer: B

NEW QUESTION 107

Which access control model does SELinux use?

- A. RBAC
- B. DAC
- C. MAC
- D. ABAC

Answer: C

NEW QUESTION 110

What does cyber attribution identify in an investigation?

- A. cause of an attack
- B. exploit of an attack
- C. vulnerabilities exploited
- D. threat actors of an attack

Answer: D

NEW QUESTION 115

What are two social engineering techniques? (Choose two.)

- A. privilege escalation
- B. DDoS attack
- C. phishing
- D. man-in-the-middle
- E. pharming

Answer: CE

NEW QUESTION 120

What is personally identifiable information that must be safeguarded from unauthorized access?

- A. date of birth
- B. driver's license number
- C. gender
- D. zip code

Answer: B

NEW QUESTION 124

Which two compliance frameworks require that data be encrypted when it is transmitted over a public network? (Choose two.)

- A. PCI
- B. GLBA
- C. HIPAA
- D. SOX
- E. COBIT

Answer: AC

NEW QUESTION 128

Which type of data consists of connection level, application-specific records generated from network traffic?

- A. transaction data
- B. location data
- C. statistical data
- D. alert data

Answer: A

NEW QUESTION 132

Why is encryption challenging to security monitoring?

- A. Encryption analysis is used by attackers to monitor VPN tunnels.
- B. Encryption is used by threat actors as a method of evasion and obfuscation.
- C. Encryption introduces additional processing requirements by the CPU.
- D. Encryption introduces larger packet sizes to analyze and store.

Answer: B

NEW QUESTION 135

Which IETF standard technology is useful to detect and analyze a potential security incident by recording session flows that occurs between hosts?

- A. SFlow
- B. NetFlow
- C. NFlow
- D. IPFIX

Answer: D

NEW QUESTION 139

In a SOC environment, what is a vulnerability management metric?

- A. code signing enforcement
- B. full assets scan
- C. internet exposed devices
- D. single factor authentication

Answer: D

NEW QUESTION 140

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 200-201 Exam with Our Prep Materials Via below:

<https://www.certleader.com/200-201-dumps.html>